tossB

novelties 2023

products 2023


bounce	4
bounce lines	10
bow SPH	14
bow SPH floor	16
celeste ceiling	18
celeste suspension	22
celeste wall	26
circus	30
circus diabolo	38
gisèle	42
grid	54
grid globe	58
grid suspension	62
twins	66
twins lines	72
vic	76
vic suspension	80
victor floor	84
victor rod	86
track collection	92



BOUNCE is a family of linear and circular pendants available in a variety of unique finishes and sizes. The LED's have been especially developed for BOUNCE to make sure that the 3 sizes of opal glass spheres all light up equally brightly. When several rings are combined together a stunning, contemporary chandelier is created, while combining several linear fixtures create a more graphic and playful vibe.

The stylized, no-nonsense and timeless design focusses on the quality of light and provides a comfortable and uniform illumination in any interior.


BOUNCE 475 -3S- (TRIAC)



LED	lamp type
2700K	fitting
3 x 2W	wattage
230V	voltage
included (TRIAC)	gear
1	class

black T111H1DZL bronze T111H1D0E brushed brass T111H1DLB white T111H1DWL


BOUNCE 475 -3S- (DALI)



lamp type	LED
fitting	2700K
wattage	3 x 2W
voltage	230V
gear	included (DALI)
class	1

order code		
black	T111H1DZLD	
bronze	T111H1DOED	
brushed brass	T111H1DLBD	
white	T111H1DWLD	


BOUNCE 475 -3M- (TRIAC)



lamp type	LED
fitting	2700K
wattage	3 x 4W
voltage	230V
gear	included (TRIAC)
class	1

order code	
black	T111H2DZL
bronze	T111H2DOE
brushed brass	T111H2DLB
white	T111H2DWL

BOUNCE 475 -3M- (DALI)




lamp type	LED
fitting	2700K
wattage	3 x 4W
voltage	230V
gear	included (DALI)
class	1

order code			
black	T111H2DZLD		
buonno	T444U0DOED		

ı	Didort	
	bronze	T111H2DOED
	brushed brass	T111H2DLBD
	white	T111H2DWLD



BOUNCE 475 -3L- (DALI)



lamp type	LED
fitting	2700K
wattage	3 x 10W
voltage	230V
gear	included (DALI)
class	1

order code black T111H3DZLD bronze T111H3DOED brushed brass T111H3DLBD white T111H3DWLD


BOUNCE 475 -SML- (TRIAC)



lamp type	LED
fitting	2700K
wattage	2W/4W/10W
voltage	230V
gear	included (TRIAC)
class	1

order code	
black	T111H4DZL
bronze	T111H4DOE
brushed brass	T111H4DLB
white	T111H4DWL


BOUNCE 475 -SML- (DALI)



lamp type	LED
fitting	2700K
wattage	2W/4W/10W
voltage	230V
gear	included (DALI)
class	1

order code black T111H4DZLD bronze T111H4D0ED brushed brass T111H4DLBD white T111H4DWLD


BOUNCE 675 -3S- (TRIAC)



LED	lamp type
2700K	fitting
3 x 2W	wattage
230V	voltage
included (TRIAC)	gear
1	class

order code		
black	T111H5DZL	
bronze	T111H5DOE	
brushed brass	T111H5DLB	
white	T111H5DWL	


BOUNCE 675 -3S- (DALI)



lamp type	LED
fitting	2700K
wattage	3 x 2W
voltage	230V
gear	included (DALI)
class	1

order code	
black	T111H5DZLD
bronze	T111H5DOED
brushed brass	T111H5DLBD
white	T111H5DWLD


BOUNCE 675 -3M- (TRIAC)



lamp type	LED
fitting	2700K
wattage	3 x 4W
voltage	230V
gear	included (TRIAC)
class	1

order code		
black	T111H6DZL	
bronze	T111H6DOE	
brushed brass	T111H6DLB	
white	T111H6DWL	

BOUNCE 675 -3M- (DALI)



lamp type	LED
fitting	2700K
wattage	3 x 4W
voltage	230V
gear	included (DALI)
class	1

order	code	


black	T111H6DZLD
bronze	T111H6DOED
brushed brass	T111H6DLBD
white	T111H6DWLD

BOUNCE 675 -3L- (DALI)

lamp type	LED
fitting	2700K
wattage	3 x 10W
voltage	230V
gear	included (DALI)
class	1

order code black T111H7DZLD bronze T111H7DGD brushed brass T111H7DLBD white T111H7DWLD


BOUNCE 675 -SML- (TRIAC)



lamp type	LED
fitting	2700K
wattage	2W/4W/10W
voltage	230V
gear	included (TRIAC)
class	1

order code	
black	T111H8DZL
bronze	T111H8DOE
brushed brass	T111H8DLB
white	T111H8DWL


BOUNCE 675 -SML- (DALI)



lamp type	LED
fitting	2700K
wattage	2W/4W/10W
voltage	230V
gear	included (DALI)
class	1

order code	
black	T111H8DZLD
bronze	T111H8DOED
brushed brass	T111H8DLBD
white	T111H8DWLD


BOUNCE 875 -4S- (TRIAC)



lamp type	LED
fitting	2700K
wattage	4 x 2W
voltage	230V
gear	included (TRIAC)
class	1

order code	
black	T111H9DZL
bronze	T111H9DOE
brushed brass	T111H9DLB
white	T111H9DWL


BOUNCE 875 -4S- (DALI)



lamp type	LED
fitting	2700K
wattage	4 x 2W
voltage	230V
gear	included (DALI)
class	1

order code	
black	T111H9DZLD
bronze	T111H9DOED
brushed brass	T111H9DLBD
white	T111H9DWLD


BOUNCE 875 -4M- (DALI)



lamp type	LED
fitting	2700K
wattage	4 x 4W
voltage	230V
gear	included (DALI)
class	1

order code	
black	T111H10DZLD
bronze	T111H10DOED
brushed brass	T111H10DLBD
white	T111H10DWLD


BOUNCE 875 -SMML- (DALI)



LED	lamp type
2700K	fitting
2W/4W/4W/10W	wattage
230V	voltage
included (DALI)	gear
1	class

order code	
black	T111H11DZLD
bronze	T111H11DOED
brushed brass	T111H11DLBD
white	T111H11DWLD


BOUNCE 875 -SSLL- (DALI)



lamp type	LED
fitting	2700K
wattage	2W/2W/10W/10W
voltage	230V
gear	included (DALI)
class	1

order code	
black	T111H12DZLD
bronze	T111H12DOED
brushed brass	T111H12DLBD
white	T111H12DWLD

BOUNCE 475 -3S-EXCL. DR/BASE



 lamp type
 LED

 fitting
 2700K

 wattage
 3 x 2W

 voltage
 17V - 350mA

 gear
 not included

class 3

 black
 T111H13DZL

 bronze
 T111H13D0E

 brushed brass
 T111H13DLB

 white
 T111H13DWL

order code

E	EXCL. DR/BASE
•	n




BOUNCE 475 -3M-

LED	lamp type
2700K	fitting
3 x 4W	wattage
34V - 350mA	voltage
not included	gear
3	class

order code	
black	T111H14DZL
bronze	T111H14DOE
brushed brass	T111H14DLB
white	T111H14DWL


BOUNCE 475 -3L-EXCL. DR/BASE



lamp type	LED
fitting	2700K
wattage	3 x 10W
voltage	84V - 350mA
gear	not included
class	3

order code	
black	T111H15DZL
bronze	T111H15DOE
brushed brass	T111H15DLB
white	T111H15DWI


BOUNCE 475 -SML-EXCL. DR/BASE



LED	lamp type
2700K	fitting
2W/4W/10W	wattage
46V - 350mA	voltage
not included	gear
3	class

order code	
black	T111H16DZL
bronze	T111H16DOE
brushed brass	T111H16DLB
white	T111H16DWL


BOUNCE 675 -3S-EXCL. DR/BASE



LED	lamp type
2700K	fitting
3 x 2W	wattage
17V - 350mA	voltage
not included	gear
3	class

order code	
black	T111H17DZL
bronze	T111H17DOE
brushed brass	T111H17DLB
white	T111H17DWL


BOUNCE 675 -3M-EXCL. DR/BASE



LED	lamp type
2700K	fitting
3 x 4W	wattage
34V - 350mA	voltage
not included	gear
3	class

order code	
black	T111H18DZL
bronze	T111H18DOE
brushed brass	T111H18DLB
white	T111H18DWL


BOUNCE 675 -3L-EXCL. DR/BASE



lamp type	LED
fitting	2700K
wattage	3 x 10W
voltage	84V - 350mA
gear	not included
class	3

order code	
black	T111H19DZL
bronze	T111H19DOE
brushed brass	T111H19DLB
white	T111H19DWL

BOUNCE 675 -SML-EXCL. DR/BASE




lamp type	LED
fitting	2700K
wattage	2W/4W/10W
voltage	45V - 350mA
gear	not included
class	3

	order code
T111H20DZL	black
T111H20DOE	bronze
T111H20DLB	brushed brass

white T111H20DWL


BOUNCE 875 -4S-EXCL. DR/BASE



lamp type	LED
fitting	2700K
wattage	4 x 2W
voltage	24V - 350mA
gear	not included
class	3

order code black T111H21DZL bronze T111H21D0E brushed brass T111H21DLB white T111H21DWL


BOUNCE 875 -4M-EXCL. DR/BASE



LED	lamp type
2700K	fitting
4 x 4W	wattage
45V - 350mA	voltage
not included	gear
3	class

order code		
black	T111H22DZL	
bronze	T111H22DOE	
brushed brass	T111H22DLB	
white	T111H22DWL	

BOUNCE 875 -SMML-EXCL. DR/BASE




lamp type	LED
fitting	2700K
wattage	2W/4W/4W/10W
voltage	56V - 350mA
gear	not included
class	3

order code

	black	T111H23DZL
	bronze	T111H23DOE
	brushed brass	T111H23DLB
_	white	T111H23DWL

BOUNCE 875 -SSLL-EXCL. DR/BASE



lamp type	LED
fitting	2700K
wattage	2W/2W/10W/10W
voltage	67V - 350mA
gear	not included
class	3

order code

black	T111H24DZL
bronze	T111H24DOE
brushed brass	T111H24DLB
white	T111H24DWL

DRIVERS

CEILING BASE SB 5,5










black TP55ZL bronze TP55OE

white TP55WL

brushed brass TP55LB

order code





120x75xh25	TMW0009

order code DALI 15W (2-43V)

110x52xh22 **ID01DP08**

order code DALI 18W (10-51V)

110x52xh22 **ID01DP11**

order code TRIAC 10W (8,5-28V)

80x38xh20 **ID01DP06**

order code TRIAC 18W (25-51V)

110x52xh22 **ID01DP10**

order code TRIAC 37W (70-108V)

144x60xh32 **MW40T**

order co	de		
	black	TP9BBZL	
	bronze	TP9BBOE	
brushed	d brass	TP9BBLB	
	white	TP9BBWL	

black	TP39ZL
brushed brass	TP39LB
white	TP39WL


bounce lines

design by glenn marys

BOUNCE is a family of linear and circular pendants available in a variety of unique finishes and sizes. The LED's have been especially developed for BOUNCE to make sure that the 3 sizes of opal glass spheres all light up equally brightly. When several rings are combined together a stunning, contemporary chandelier is created, while combining several linear fixtures create a more graphic and playful vibe.

The stylized, no-nonsense and timeless design focusses on the quality of light and provides a comfortable and uniform illumination in any interior.

BOUNCE LINES 120 -S-(TRIAC)




LED	lamp type
2700K	fitting
4 x 2W	wattage
230V	voltage
included (TRIAC)	gear
1	class


order code

T111H25DZL	black	
T111H25DOE	bronze	
T111H25DLB	brushed brass	
T111H25DWL	white	


BOUNCE LINES 120 -S-(DALI)




BOUNCE LINES 120 -M-(TRIAC)



BOUNCE LINES 120	· IAI -
(DALI)	



BOUNCE LINES 120 -L- (DALI)



lamp type	LED
fitting	2700K
wattage	4 x 10W
voltage	230V
gear	included (DALI)
class	1

fitting	2700K
wattage	4 x 2W
voltage	230V
gear	included (DALI)
class	1

lamp type **LED**

order code	
black	T111H25DZLD
bronze	T111H25DOED
brushed brass	T111H25DLBD
white	T111H25DWLD

lamp type	LED
fitting	2700K
wattage	4 x 4W
voltage	230V
gear	included (TRIAC)
class	1

order code	
black	T111H26DZL
bronze	T111H26DOE
brushed brass	T111H26DLB
white	T111H26DWL

fitting 2700K wattage 4 x 4W voltage 230V gear included (DALI) class 1


black	T111H26DZLD
bronze	T111H26DOED
brushed brass	T111H26DLBD
white	T111H26DWLD

black	T111H27DZLD
bronze	T111H27DOED
brushed brass	T111H27DLBD
white	T111H27DWLD




BOUNCE LINES 180 -S-(TRIAC)


BOUNCE LINES 180 -S-(DALI)



BOUNCE LINES 180 -M-(TRIAC)



BOUNCE LINES 180 -M-(DALI)



LED	lamp type
2700K	fitting
7 x 2W	wattage
230V	voltage
included (TRIAC)	gear
1	class

lamp type	LED
fitting	2700K
wattage	7 x 2W
voltage	230V
gear	included (DALI)
class	1

lamp type	LED
fitting	2700K
wattage	7 x 4W
voltage	230V
gear	included (TRIAC)
class	1

lamp type	LED
fitting	2700K
wattage	7 x 4W
voltage	230V
gear	included (DALI)
class	1


order code	
black	T111H28DZL
bronze	T111H28DOE
brushed brass	T111H28DLB
white	T111H28DWL

order code	
black	T111H28DZLD
bronze	T111H28DOED
brushed brass	T111H28DLBD
white	T111H28DWLD


order code	
black	T111H29DZL
bronze	T111H29DOE
brushed brass	T111H29DLB
white	T111H29DWI

order code	
black	T111H29DZLD
bronze	T111H29DOED
brushed brass	T111H29DLBD
white	T111H29DWLD


BOUNCE LINES 180 -L-(DALI)



BOUNCE LINES 120 -S-EXCL. DR/BASE




BOUNCE	LINES	120	-M-
EXCL. DF	R/BASE		



BOUNCE LINES 120 -L-
EXCL. DR/BASE





lamp type	LED
fitting	2700K
wattage	7 x 10W
voltage	230V
gear	included (DALI)
class	1

lamp type	LED
fitting	2700K
wattage	4 x 2W
voltage	22.4V - 350mA
gear	not included
class	3

LED	lamp type
2700K	fitting
4 x 4W	wattage
44.4V - 350mA	voltage
not included	gear
3	class

lamp type	LED
fitting	2700K
wattage	4 x 10W
voltage	111.2V - 350mA
gear	not included
class	3

order code	
black	T111H30DZLD
bronze	T111H30DOED
brushed brass	T111H30DLBD
white	T111H30DWLD

order code	
black	T111H31DZL
bronze	T111H31DOE
brushed brass	T111H31DLB
white	T111H31DWL


order code	
black	T111H32DZL
bronze	T111H32DOE
brushed brass	T111H32DLB
white	T111H32DWL


order code	
black	T111H33DZL
bronze	T111H33DOE
brushed brass	T111H33DLB
white	T111H33DWL

BOUNCE LINES 180 -S-EXCL. DR/BASE

BOUNCE LINES 180 -M-EXCL. DR/BASE

BOUNCE LINES 180 -L-EXCL. DR/BASE





LED	lamp type
2700K	fitting
7 x 2W	wattage
39.2V - 350mA	voltage
not included	gear
3	class

ED	lamp type
700K	fitting
x 4W	wattage
7.7 V - 350mA	voltage
ot included	gear
	class

lamp type	LED
fitting	2700K
wattage	7 x 10W
voltage	194.6V - 350mA
gear	not included
class	3

order code		
black	T111H34DZL	
bronze	T111H34DOE	
brushed brass	T111H34DLB	
white	T111H34DWI	

order code	
black	T111H35DZL
bronze	T111H35DOE
brushed brass	T111H35DLB
white	T111H35DWL

order code		
black	T111H36DZL	
bronze	T111H36DOE	
brushed brass	T111H36DLB	
white	T111H36DWL	

DRIVERS

CEILING BASE SB 5,5

CEILING PLATE C1B 5,5

CABLE GUIDE









order	code	DALI	33W	(57-95V)
-------	------	------	-----	----------

120x75xh25	TMW0009

order code DALI 15W (2-43V)

110x52xh22 **ID01DP08**

order code

black	TP55ZL	
bronze	TP55OE	
brushed brass	TP55LB	
white	TP55WL	

black	TP9BBZL
bronze	ТР9ВВОЕ
brushed brass	TP9BBLB
white	TP9BBWL

order code

black	TP39ZL
brushed brass	TP39LB
white	TP39WL

order code DALI 18W (10-51V)

110x52xh22 **ID01DP11**

order code TRIAC 10W (8,5-28V)

80x38xh20 **ID01DP06**

order code TRIAC 18W (25-51V)

110x52xh22 **ID01DP10**

order code DALI 75W (176-276V)

280X30xh16 **OD05DD01**

bow SPH

design by david dolcini


Since Roman times, the 'arch' is one of the basics in architecture. It's part of our daily life (even if we don't notice it), and it expresses at the same time deepness, strength and equilibrium. BOW tries to translate the essence of the arch into a minimalistic luminaire. Gravity and balance, combined with the arch, are the other ingredients involved in the design of this product. It is a small family composed by a floor/hanging lamp, and 7 different chandeliers (2, 4 or 6 bulbs).






BOW SPH I S

BOW SPH I M



BOW SPHIL



lamp type	retrofit LED
fitting	G9
wattage	2 x 5W
voltage	230V
class	1

lamp type	retrofit LED
fitting	G9
wattage	2 x 5W
voltage	230V
class	1

lamp type	retrofit LED
fitting	G 9
wattage	2 x 5W
voltage	230V
class	1


order code	
black	T97SH1IZL
brushed brass	T97SH1ILB

order code	
black	T97SH2IZL
brushed brass	T97SH2ILB


order code

black	T97SH3IZL
brushed brass	T97SH3ILB


BOW SPH II S+M




ROW	SPH	ш	MTI




BOW	SPH II	L+S
-----	--------	-----



BOW	SPH	Ш	S+M+L



lamp type	retrofit LED
fitting	G9
wattage	4 x 5W
voltage	230V
class	1



lamp type	retrofit LED
fitting	G9
wattage	6 x 5W
voltage	230V
class	1

order code		
black	T97SH4IZL	
brushed brass	T97SH4ILB	

wattage 4 x 5W

voltage 230V

class 1

orde	ar e	hor	٥

1	oraci coac		
	black	T97SH5IZL	
	brushed brass	T97SH5ILB	

order code

black	T97SH6IZL
brushed brass	T97SH6ILB

lamp type retrofit LED

fitting **G9**

wattage 4 x 5W

voltage 230V

class 1


black	T97SH7IZL	
brushed brass	T97SH7ILB	

bow SPH floor

design by david dolcini

Since Roman times, the 'arch' is one of the basics in architecture. It's part of our daily life (even if we don't notice it), and it expresses at the same time deepness, strength and equilibrium. BOW tries to translate the essence of the arch into a minimalistic luminaire. Gravity and balance, combined with the arch, are the other ingredients involved in the design of this product. It is a small family composed by a floor/hanging lamp, and 7 different chandeliers (2, 4 or 6 bulbs).

BOW SPH FLOOR



BOW SPH FLOOR

lamp type	retrofit LED
fitting	E27
wattage	15W
voltage	230V
class	1

lamp type	retrofit LED
fitting	E27
wattage	15W
voltage	230V
class	1

order code		
black	T97F5IZL	

order code		
black	T97F6IZL	



celeste ceiling

design by glenn marys



A family of suspended and surface mounted fixtures consisting of different sizes of spheres, diffusors and rods that can be combined to create countless variations in the design. Using a single diffusor creates a classic, timeless and minimalistic design, while combining multiple diffusers and several rods create a graphic and playful configuration. Install CELESTE individually, in a series or as a striking group to create a contemporary and luxurious eye-catcher.




CELESTE SPHERE -S-

CELESTE SPHERE -M-

CELESTE SPHERE -L-







lamp type	retrofit LED
fitting	G9
wattage	5W
voltage	230V
class	1

lamp type	retrofit LED
fitting	E27
wattage	15W
voltage	230V
class	1

lamp type	retrofit LED
fitting	E27
wattage	15W
voltage	230V
class	1

order code
hlack nainted

T112SCP1ZL
T112SCP10E
T112SCP1LB
T112SCP1WL

OI	uei	C	ou	ie
	hlac	راد حاد	n	in

T112SCP2ZL	black painted
T112SCP2OE	bronze
T112SCP2LB	brushed brass
T112SCP2WL	white painted

order code

black painted	T112SCP3ZL
bronze	T112SCP3OE
brushed brass	T112SCP3LB
white painted	T112SCP3WL


CELESTE ROD -S-

CELESTE ROD -M-

CELESTE ROD -L-







order code

black pa	ainted	T112RP1ZL	
b	ronze	T112RP10E	
brushed	brass	T112RP1LB	
white pa	ainted	T112RP1WL	

code


black painted	T112RP2ZL
bronze	T112RP2OE
brushed brass	T112RP2LB
white painted	T112RP2WL

black painted	T112RP3ZL
bronze	T112RP3OE
brushed brass	T112RP3LB
white painted	T112RP3WL

CELESTE CEILING BASE FOR S+M DIFFUSOR

CELESTE CEILING BASE FOR L DIFFUSOR





white painted T112CP1WL

order code


white painted T112CP2WL


CELESTE DIFFUSER -S-

CELESTE DIFFUSER -M-

CELESTE DIFFUSER -L-







oraci ooac		
black painted	T112DP1ZL	
bronze	T112DP10E	
brushed brass	T112DP1LB	
white painted	T112DP1WL	

order code

black painted	T112DP2ZL	
bronze	T112DP2OE	
brushed brass	T112DP2LB	
white painted	T112DD2WI	

order code

black painted	T112DP3ZL
bronze	T112DP3OE
brushed brass	T112DP3LB
white painted	T112DP3WL



celeste suspension

design by glenn marys






A family of suspended and surface mounted fixtures consisting of different sizes of spheres, diffusors and rods that can be combined to create countless variations in the design. Using a single diffusor creates a classic, timeless and minimalistic design, while combining multiple diffusers and several rods create a graphic and playful configuration. Install CELESTE individually, in a series or as a striking group to create a contemporary and luxurious eye-catcher.

CELESTE SPHERE -S-

CELESTE SPHERE -M-

CELESTE SPHERE -L-







lamp type	retrofit LED
fitting	G 9
wattage	5W
voltage	230V
class	1

retrofit LED	lamp type
E27	fitting
15W	wattage
230V	voltage
1	class

lamp type	retrofit LED
fitting	E27
wattage	15W
voltage	230V
class	1

order code		
black painted	T112SP1ZL	
bronze	T112SP10E	
brushed brass	T112SP1LB	
white painted	T112SP1WL	

orde	r code		
bla	ck painted	T112SP2ZL	
	bronze	T112SP2OE	
brus	shed brass	T112SP2LB	
wh	ite painted	T112SP2WL	


order code	
black painted	T112SP3ZL
bronze	T112SP3OE
brushed brass	T112SP3LB
white painted	T112SP3WL


CELESTE ROD -S-

CELESTE ROD -M-

CELESTE ROD -L-







T112RP1ZL	black painted
T112RP10E	bronze
T112RP1LB	brushed brass
T112RP1WL	white painted


order code	
black painted	T112RP2ZL
bronze	T112RP2OE
brushed brass	T112RP2LB
white painted	T112RP2WL


order code	
black painted	T112RP3ZL
bronze	T112RP30E
brushed brass	T112RP3LB
white painted	T112RP3WL


CELESTE DIFFUSER -S-

CELESTE DIFFUSER -M-

CELESTE DIFFUSER -L-







order code

black painted	T112DP1ZL
bronze	T112DP1OE
brushed brass	T112DP1LB
white painted	T112DPWL

order code

black painted	T112DP2ZL
bronze	T112DP2OE
brushed brass	T112DP2LB
white painted	T112DP2WL

order code

black painted	T112DP3ZL
bronze	T112DP30E
brushed brass	T112DP3LB
white painted	T112DP3WL

CELESTE CEILING PLATE C1 8CM

CELESTE CEILING BASE SB 5,5CM

CELESTE CEILING BASE SB 10CM







order code

black painted	T112P1ZL	
bronze	T112P10E	
brushed brass	T112P1LB	
white painted	T112P1WL	

order code

black painted	T112P2ZL
bronze	T112P2OE
brushed brass	T112P2LB
white painted	T112P2WL

black painted	T112P3ZL
bronze	T112P3OE
brushed brass	T112P3LB
white painted	T112P3WL





celeste wall

design by glenn marys




A family of suspended and surface mounted fixtures consisting of different sizes of spheres, diffusors and rods that can be combined to create countless variations in the design. Using a single diffusor creates a classic, timeless and minimalistic design, while combining multiple diffusers and several rods create a graphic and playful configuration. Install CELESTE individually, in a series or as a striking group to create a contemporary and luxurious eye-catcher.

CELESTE SPHERE -S-







lamp type	retrofit LED
fitting	G9
wattage	5W
voltage	230V
class	1

lamp type	retrofit LED
fitting	E27
wattage	15W
voltage	230V
class	1


order	code		9		
le Le e			_		

	T112SCP1ZL	black painted
•	T112SCP10E	bronze
}	T112SCP1LB	brushed brass
L	T112SCP1WL	white painted

order	code
-------	------

black painted	T112SCP2ZL
bronze	T112SCP2OE
brushed brass	T112SCP2LB
white painted	T112SCP2WL

CELESTE SPHERE -L-




lamp type	retrofit LED
fitting	E27
wattage	15W
voltage	230V
class	1


black painted	T112SCP3ZL
bronze	T112SCP3OE
brushed brass	T112SCP3LB
white painted	T112SCP3WL


CELESTE DIFFUSER -S-

CELESTE DIFFUSER -M-

CELESTE DIFFUSER -L-







order code

black painted	T112DP1ZL
bronze	T112DP10E
brushed brass	T112DP1LB
white painted	T112DP1WL

order code

black painted	T112DP2ZL
bronze	T112DP2OE
brushed brass	T112DP2LB
white painted	T112DP2WL


order code

black painted	T112DP3ZL
bronze	T112DP3OE
brushed brass	T112DP3LB
white painted	T112DP3WL

CELESTE WALL BASE FOR S+M DIFFUSOR

CELESTE WALL BASE FOR L DIFFUSOR





order code

white painted T112AP1WL

order code

white painted T112AP2WL






The feat of managing to combine within a small anodized aluminum body an extreme quality of lighting in a fine and subtle elegance. The CIRCUS collection offers potential for architectural combinations and integrations in both private interiors and public spaces.


With a strong desire to offer a real quality of functional lighting, both direct and indirect, the profiles of CIRCUS compose aerial mobiles combining lightness and strong graphic impact in both classic and contemporary architectures. The softness of the lines and curves harmonize in a range of fitted pieces available in 3 lengths, multiplying the possibilities and the modularity of these mobiles.



CIRCUS -S- UP








LED	lamp type
2700K/3000K	colour temp.
12,5W	wattage
230V	voltage
975	lumen
included (DALI)	gear
1	class

order code 2700K

black anodized T109H1DZL champagne rosé T109H1DCR

order code 3000K

black anodized T109H2DZL champagne rosé T109H2DCR



lamp type	LED
colour temp.	2700K/3000K
wattage	12,5W
voltage	230V
lumen	975
gear	included (DALI)
class	1


order code 2700K

black anodized T109H3DZL champagne rosé T109H3DCR

order code 3000K

black anodized T109H4DZL champagne rosé T109H4DCR

,	 _	_	_	_	•	~	_	_	۰	•	•	•	
										_			-



lamp type	LED
colour temp.	2700K/3000K
wattage	25W
voltage	230V
lumen	1950
gear	included (DALI)
class	1


order code 2700K

black anodized T109H5DZL champagne rosé T109H5DCR

order code 3000K

black anodized T109H6DZL champagne rosé T109H6DCR

CIRCUS -M- UP



lamp type	LED
colour temp.	2700K/3000K
wattage	25W
voltage	230V
lumen	1950
gear	included (DALI)
class	1


order code 2700K

black anodized	1109H/DZL
champagne rosé	T109H7DCR

order code 3000K

black anodized	T109H8DZL
champagne rosé	T109H8DCR

CIRCUS -M- DOWN



lamp type	LED
colour temp.	2700K/3000K
wattage	25W
voltage	230V
lumen	1950
gear	included (DALI)
class	1

order code 2700K

black anodized	T109H9DZL
champagne rosé	T109H9DCR

order code 3000K

champagne rosé	T109H10DCR
black anodized	T109H10DZL

CIRCUS -M- UP&DOWN



lamp type	LED
colour temp.	2700K/3000K
wattage	50W
voltage	230V
lumen	3900
gear	included (DALI)
class	1


order code 2700K

black anodized	T109H11DZL
champagne rosé	T109H11DCR

order code 3000K

black anodized	T109H12DZL
champagne rosé	T109H12DCR

CIRCUS -L- UP



lamp type	LED
colour temp.	2700K/3000K
wattage	37,5W
voltage	230V
lumen	2925
gear	included (DALI)
class	1
voltage lumen gear	230V 2925 included (DALI)


order code 2700K

black anodized	T109H13DZL
champagne rosé	T109H13DCR

order code 3000K

black anodized	T109H14DZL
champagne rosé	T109H14DCR

CIRCUS -L- DOWN



lamp type	LED
colour temp.	2700K/3000K
wattage	37,5W
voltage	230V
lumen	2925
gear	included (DALI)
class	1


order code 2700K

black anodized	T109H15DZL
champagne rosé	T109H15DCR

order code 3000K

black anodized	T109H16DZL
champagne rosé	T109H16DCR

CIRCUS -L- UP&DOWN



lamp type	LED
colour temp.	2700K/3000K
wattage	75W
voltage	230V
lumen	5850
gear	included (DALI)
class	1

order code 2700K

black anodized	T109H17DZL
champagne rosé	T109H17DCR


order code 3000K

black anodized	T109H18DZL
champagne rosé	T109H18DCR





CIRCUS -S- UP EXCL. DR/BASE



lamp type	LED
colour temp.	2700K/3000K
wattage	12,5W
voltage	25V - 500mA
lumen	975
gear	not included
class	3


order code 2700K

black anodized	T109H19DZL
champagno rocó	T100H10DCD

order code 3000K

black anodized	T109H20DZL
champagne rosé	T109H20DCR

CIRCUS -S- DOWN EXCL. DR/BASE



lamp type	LED
colour temp.	2700K/3000K
wattage	12,5W
voltage	25V - 500mA
lumen	975
gear	not included
ologo	2


order code 2700K

black anodized	T109H21DZL
champagne rosé	T109H21DCR

order code 3000K

black anodized	T109H22DZL
champagne rosé	T109H22DCR

CIRCUS -S- UP&DOWN EXCL. DR/BASE



lamp type	LED
colour temp.	2700K/3000K
wattage	25W
voltage	50V - 500mA
lumen	1950
gear	not included
class	3


order code 2700K

black anodized	T109H23DZL
champagne rosé	T109H23DCR

order code 3000K

black anodized	T109H24DZL
champagne rosé	T109H24DCR

CIRCUS -M- UP EXCL. DR/BASE



lamp type	LED
colour temp.	2700K/3000K
wattage	25W
voltage	50V - 500mA
lumen	1950
gear	not included
class	3


order code 2700K

black anodized	T109H25DZL
champagne rosé	T109H25DCR

order code 3000K

black anodized	T109H26DZL
champagne rosé	T109H26DCR

CIRCUS -M- DOWN EXCL. DR/BASE



lamp type	LED
colour temp.	2700K/3000K
wattage	25W
voltage	50V - 500mA
lumen	1950
gear	not included
class	3

order code 2700K

black anodized	T109H27DZL
champagne rosé	T109H27DCR

order code 3000K

black anodized	T109H28DZL
champagne rosé	T109H28DCR

CIRCUS -M- UP&DOWN EXCL. DR/BASE



lamp type	LED
colour temp.	2700K/3000K
wattage	50W
voltage	100V - 500mA
lumen	3900
gear	not included
class	3


order code 2700K

black anodized	T109H29DZL
champagne rosé	T109H29DCR

order code 3000K

black anodized	T109H30DZL
champagne rosé	T109H30DCR

CIRCUS -L- UP EXCL. DR/BASE



lamp type **LED** colour temp. 2700K/3000K wattage 37,5W voltage 75V - 500mA lumen 2925 gear not included

class 3

black anodized T109H31DZL champagne rosé T109H31DCR

black anodized T109H32DZL champagne rosé T109H32DCR


order code 2700K

order code 3000K

•

	1	
	\	

CIRCUS -L- DOWN
EXCL. DR/BASE




LED	lamp type
2700K/3000K	colour temp.
37,5W	wattage
75V - 500mA	voltage
2925	lumen
not included	gear
3	class

black anodized	T109H33DZL	
	champagne rosé	T109H33DCR

order code 3000K

black anodized	T109H34DZL
champagne rosé	T109H34DCR

CIRCUS -L- UP&DOWN EXCL. DR/BASE



lamp type	LED
colour temp.	2700K/3000K
wattage	75W
voltage	150V - 500mA
lumen	5850
gear	not included
class	3

order code 2700K

black anodized	T109H35DZL
champagne rosé	T109H35DCR

order code 3000K

black anodized	T109H36DZL
champagne rosé	T109H36DCR









ORDER CODE DALI 35W (198V-264V)

280x30xh16 **OD04DD01**

ORDER CODE DALI 75W (198V-264V)

280x30xh16 **OD05DD01**

ORDER CODE DALI 100W (198V-264V)DALI 75W

360x30xh21 **OD06DD01**

order code

black painted	TP55ZL
white painted	TP55WL

order code

black painted	TP9BBZL
white painted	TP9BBWL

CIRCUS CEILING BASE -S-

order code

black painted	T109P1ZL
white painted	T109P1CL

CIRCUS CEILING BASE -M/L-



order code

black painted	T109P2ZL
white painted	T109P2CR

CABLE GUIDE




black painted	TP39ZL
white painted	TP39WL

circus diabolo

design by jean-françois d'or

The DIABOLO's spotlights are a variation of the CIRCUS collection. Indeed, a revolution of the trapezoidal profile of CIRCUS gives the shape of these spots. They represent the same determination to offer the best quality of light in a discreet, tiny and elegant volume. Alone or in clusters, they energize an architecture and punctuate it with luminous dots.









CIRCUS DIABOLO FLOOR

CIRCUS DIABOLO WALL





lamp type	LED
colour temp.	2700K
wattage	6W
voltage	230V
lumen	450
gear	included
class	1

lamp type	LED
colour temp.	2700K
wattage	6W
voltage	230V
lumen	450
gear	included
class	1

order code 2700K black anodized T109DF1DZL champagne rosé T109DF1DCR

order code 2700K	
	black anodized T109DA1DZL
	champagne rosé T109DA1DCR
_	




A rod mounted, elegant yet simple design that will enrich your space and gives character to your room. The opal glass distributes the light uniformly and GISÈLE comes in four different finishes: brushed brass, bronze, white and black painted. The minimal style and choice of unique finishes make this light perfect for any interior, classic or modern.







GISÈLE -S- ROD 15CM C1 8CM



GISÈLE -M- ROD 15CM C1 8CM



GISÈLE -L-	ROD	15CM	C1
8CM			



mp type	retrofit LED	lamp type	retrofit LED
fitting	G 9	fitting	E27
wattage	5W	wattage	15W
voltage	230V	voltage	230V
class	2	class	2

lamp type	retrofit LED
fitting	E27
wattage	15W
voltage	230V
class	2

order code	

T113HY1HZL	black painted
T113HY1HOE	bronze
T113HY1HLB	brushed brass
T113HY1HWI	white nainted

order code

black painted	T113HY2IZL
bronze	T113HY2IOE
brushed brass	T113HY2ILB
white painted	T113HY2IWL


order code

black painted	T113HY3IZL
bronze	T113HY3IOE
brushed brass	T113HY3ILB
white painted	T113HY3IWL


GISÈLE -S- ROD 20CM C1 8CM



GISÈLE -M- ROD 20CM C1 8CM



GISÈLE -L- ROD 20CM C1 8CM



lamp type	retrofit LED
fitting	G9
wattage	5W
voltage	230V
class	2

lamp t	ype	retrofit LED
fit	ting	E27
watt	age	15W
volt	age	230V
	000	0

lamp type	retrofit LED
fitting	E27
wattage	15W
voltage	230V
class	2


order code

black painted	T113HZ1HZL
bronze	T113HZ1HOE
brushed brass	T113HZ1HLB
white painted	T113HZ1HWL

order code

black painted	T113HZ2IZL
bronze	T113HZ2IOE
brushed brass	T113HZ2ILB
white painted	T113HZ2IWL


lack painte	d	T113HZ3IZL	
bronz	e	T113HZ3IOE	
ushed bras	ss	T113HZ3ILB	
vhite painte	d	T113HZ3IWL	



GISÈLE -S- ROD 90CM C1 8CM



GISÈLE -M- ROD 90CM C1 8CM



order code	
black painted	T113HA1HZL
bronze	T113HA1HOE
brushed brass	T113HA1HLB
white painted	T113HA1HWL

 lamp type
 retrofit LED

 fitting
 G9

 wattage
 5W


 voltage
 230V

 class
 2

lamp type	retrofit LED
fitting	E27
wattage	15W
voltage	230V
class	2

order code	
black painted	T113HA2IZL
bronze	T113HA2IOE
brushed brass	T113HA2ILB
white painted	T113HA2IWL


GISÈLE -L- ROD 90CM C1 8CM




lamp type	retrofit LED
fitting	E27
wattage	15W
voltage	230V
class	2

black painted	T113HA3IZL
bronze	T113HA3IOE
brushed brass	T113HA3ILB
white painted	T113HA3IWL


GISÈLE -S- ROD 120CM C1 8CM



GISÈLE -M- ROD 120CM C1 8CM



GISÈLE -L- ROD 120CM C1 8CM



lamp type	retrofit LED
fitting	G 9
wattage	5W
voltage	230V
class	2

retrofit LED	lamp type
E27	fitting
15W	wattage
230V	voltage
2	class

lamp type retrofit LED
fitting E27
wattage 15W
voltage 230V
class 2

order	code

black painted	T113HB1HZL
bronze	T113HB1HOE
brushed brass	T113HB1HLB
white painted	T113HB1HWL


order	code
-------	------

black painted	T113HB2IZL
bronze	T113HB2IOE
brushed brass	T113HB2ILB
white painted	T113HB2IWL


order code

black painted	T113HB3IZL
bronze	T113HB3IOE
brushed brass	T113HB3ILB
white painted	T113HB3IWL


GISÈLE -S- ROD 150CM C1 8CM



GISÈLE -M- ROD 150CM C1 8CM



GISÈLE -L- ROD 150CM C1 8CM



lamp type	retrofit LED
fitting	G9
wattage	5W
voltage	230V
class	2

lamp type	retrofit LED
fitting	E27
wattage	15W
voltage	230V
class	2

lamp type	retrofit LED
fitting	E27
wattage	15W
voltage	230V
class	2

order code


black painted	T113HC1HZL
bronze	T113HC1HOE
brushed brass	T113HC1HLB
white painted	T113HC1HWL

order code	
black painted	T113HC2IZL
bronze	T113HC2IOE
brushed brass	T113HC2ILB


white painted T113HC2IWL

black painted	T113HC3IZL
bronze	T113HC3IOE
brushed brass	T113HC3ILB
white painted	T113HC3IWL


GISÈLE -S- ROD 180CM C1 8CM



GISÈLE -M- ROD 180CM C1 8CM



GISÈLE -L- ROD 180CM	1 C1
8CM	



lamp type	retrofit LED	la
fitting	G9	
wattage	5W	
voltage	230V	
class	2	

retrofit LED	lamp type
E27	fitting
15W	wattage
230V	voltage
2	class

lamp type	retrofit LED
fitting	E27
wattage	15W
voltage	230V
class	2

T113HD1HZL
T113HD1H0E
T113HD1HLB


white painted T113HD1HWL

order code	
black painted	T113HD2IZL
bronze	T113HD2IOE
brushed brass	T113HD2ILB
white painted	T113HD2IWL


order code

black painted	T113HD2IZL
bronze	T113HD2IOE
brushed brass	T113HD2ILB
white painted	T113HD2IWL


GISÈLE -S- ROD 15CM SB 5.5CM



GISÈLE	-M-	ROD	15CM	SB
5.5CM				



GISÈLE -L-	ROD	15CM	SB
5.5CM			



lamp type	retrofit LED
fitting	G9
wattage	5W
voltage	230V
class	1

lamp type	retrofit LED
fitting	E27
wattage	15W
voltage	230V
class	1

lamp type	retrofit LED
fitting	E27
wattage	15W
voltage	230V
class	1

order	code

black painted	T113HY4HZL
bronze	T113HY4HOE
brushed brass	T113HY4HLB
white painted	T113HY4HWL

 order code

 black painted
 T113HY5IZL

 bronze
 T113HY5IOE

 brushed brass
 T113HY5ILB


 white painted
 T113HY5IWL


black painted	T113HY6IZL
bronze	T113HY6IOE
brushed brass	T113HY6ILB
white painted	T113HY6IWL


GISÈLE -S- ROD 20CM SB 5.5CM











lamp type ref	rofit LED
fitting G 9	
wattage 5V	ı
voltage 23	0V
class 1	

retrofit LED	lamp type
E27	fitting
15W	wattage
230V	voltage
1	class

lamp type	retrofit LED
fitting	E27
wattage	15W
voltage	230V
class	1

order	code

T113HZ4HZL	black painted
T113HZ4HOE	bronze
T113HZ4HLB	brushed brass
T113HZ4HWL	white painted


order code


black painted	T113HZ5IZL
bronze	T113HZ5IOE
brushed brass	T113HZ5ILB
white painted	T113HZ5IWL


order code

black painted	T113HZ6IZL
bronze	T113HZ6IOE
brushed brass	T113HZ6ILB
white painted	T113HZ6IWL


GISÈLE -S- ROD 90CM SB 5.5CM







GISÈLE -L-	ROD	90CM	SB
5.5CM			



lamp type	retrofit LED
fitting	G9
wattage	5W
voltage	230V
class	1

lamp type	retrofit LED
fitting	E27
wattage	15W
voltage	230V
class	1

lamp type	retrofit LED
fitting	E27
wattage	15W
voltage	230V
class	1

order code

black painted	T113HA4HZL
bronze	T113HA4HOE
brushed brass	T113HA4HLB
white painted	T113HA4HWL


order code

T113HA5IZL
T113HA5IOE
T113HA5ILB
T113HA5IWL


black painted	T113HA6IZL
bronze	T113HA6IOE
brushed brass	T113HA6ILB
white painted	T113HA6IWL



GISÈLE -S- ROD 120CM SB 5.5CM



GISÈLE	-M-	ROD	120CM	SB
5.5CM				



lamp type	retrofit LED
fitting	G9
wattage	5W
voltage	230V
class	1

lamp type	retrofit LED
fitting	E27
wattage	15W
voltage	230V
class	1


order code

black painted	T113HB4HZL
bronze	T113HB4H0E
brushed brass	T113HB4HLB
white painted	T113HB4HWL

order code

black painted	T113HB5IZL
bronze	T113HB5IOE
brushed brass	T113HB5ILB
white painted	T113HB5IWL


GISÈLE -L- ROD 120CM SB 5.5CM




imp type retrofit LED	lamp type	
fitting E27	fitting	
wattage 15W	wattage	
voltage 230V	voltage	
class 1	class	

black painted	T113HB6IZL
bronze	T113HB6IOE
brushed brass	T113HB6ILB
white painted	T113HB6IWL

GISÈLE -S- ROD 150CM SB 5.5CM




GISÈLE -M-	ROD	150CM	SB
5.5CM			



lamp type retrofit LED fitting **E27** wattage 15W voltage 230V class 1

GISÈLE -L- ROD 150CM SE	3
5.5CM	



lamp type	retrofit LED
fitting	E27
wattage	15W
voltage	230V
class	1

lamp type	retrofit LED
fitting	G 9
wattage	5W
voltage	230V
class	1

wattage	5W
voltage	230V
class	1

order c	ode
---------	-----

black painted	T113HC4HZL
bronze	T113HC4HOE
brushed brass	T113HC4HLB
white painted	T113HC4HWL


order code

black painted	T113HC5IZL
bronze	T113HC5IOE
brushed brass	T113HC5ILB
white painted	T113HC5IWL


order code

black painted	T113HC6IZL
bronze	T113HC6IOE
brushed brass	T113HC6ILB
white painted	T113HC6IWL


GISÈLE -S- ROD 180CM SB 5.5CM



GISÈLE -M- ROD 180CM SB 5.5CM



GISÈLE -L-	ROD	180CM SB
5.5CM		



lamp type	retrofit LED
fitting	E27
wattage	15W
voltage	230V
class	1

Ξ	lamp type	retrofit LED
	fitting	G 9
	wattage	5W
	voltage	230V
	class	1

order code

black painted	T113HD4HZL
bronze	T113HD4HOE
brushed brass	T113HD4HLB
white painted	T113HD4HWL


lamp type	retrofit LED
fitting	E27
wattage	15W
voltage	230V
class	1

order code


black painted	T113HD5IZL
bronze	T113HD5IOE
brushed brass	T113HD5ILB
white painted	T113HD5IWL

black painted	T113HD6IZL
bronze	T113HD6IOE
brushed brass	T113HD6ILB
white painted	T113HD6IWL

GISÈLE -S- ROD 15CM SB 10CM




GISÈLE	-M-	ROD	15CM	SB
10CM				



lamp type retrofit LED fitting **E27** wattage 15W voltage 230V class 1

GISÈLE -L- ROD 15CM SE	3
10CM	



lamp type	retrofit LED
fitting	E27
wattage	15W
voltage	230V
clace	1

lamp type	retrofit LED
fitting	G9
wattage	5W
voltage	230V
class	1

order code	order c

T113HY7HZL	black painted
T113HY7HOE	bronze
T113HY7HLB	brushed brass
T113HY7HWL	white painted


order code

black painted	T113HY8IZL
bronze	T113HY8IOE
brushed brass	T113HY8ILB
white painted	T113HY8IWL


order code

black painted	T113HY9IZL
bronze	T113HY9IOE
brushed brass	T113HY9ILB
white painted	T113HY9IWL


GISÈLE -S- ROD 20CM SB 10CM



GISÈLE	-M-	ROD	20CM	SE
10CM				



GISÈLE -L- ROD 20CM SB 10CM



lamp type	retrofit LED	lamp type	retrofit LED
fitting	G 9	fitting	E27
wattage	5W	wattage	15W
voltage	230V	voltage	230V
class	1	class	1

order code

T113HZ8IZL	black painted
T113HZ8IOE	bronze
T113HZ8ILB	brushed brass
T113HZ8IWL	white painted

lamp type retrofit LED fitting **E27** wattage 15W voltage 230V class 1


order code

black painted	T113HZ9IZL
bronze	T113HZ9IOE
brushed brass	T113HZ9ILB
white painted	T113HZ9IWL


order code

class 1

GISÈLE -S- ROD 90CM SB 10CM




GISÈLE -M-	ROD	90CM	SB
10CM			



lamp type retrofit LED fitting **E27** wattage 15W voltage 230V class 1

GISÉLE -	L- ROD	90CM SB
10CM		



lamp type	retrofit LED
fitting	E27
wattage	15W
voltage	230V
class	1

lamp type	retrofit LED
fitting	G 9
wattage	5W
voltage	230V
class	1

fitting	G9
wattage	5W
voltage	230V
class	1

rder	code	
------	------	--

black painted	T113HA7HZL
bronze	T113HA7HOE
brushed brass	T113HA7HLB
white painted	T113HA7HWL


order code

black painted	T113HA8IZL
bronze	T113HA8IOE
brushed brass	T113HA8ILB
white painted	T113HA8IWL


order code

black painted	T113HA9IZL
bronze	T113HA9IOE
brushed brass	T113HA9ILB
white painted	T113HA9IWL


GISÈLE -S- ROD 120CM SB 10CM



GISÈLE -M- ROD 120CM SB 10CM



GISÈLE -L- ROD 120CM SB 10CM



lamp type	retrofit LED
fitting	G9
wattage	5W
voltage	230V
class	1


order code

black painted	T113HB7HZL
bronze	T113HB7HOE
brushed brass	T113HB7HLB
white painted	T113HB7HWL

lamp type	retrofit LED
fitting	E27
wattage	15W
voltage	230V
class	1

order code


1		
	black painted	T113HB8IZL
	bronze	T113HB8IOE
	brushed brass	T113HB8ILB
	white painted	T113HB8IWL




lamp type	retrofit LED
fitting	E27
wattage	15W
voltage	230V
class	1

black painted	T113HB9IZL
bronze	T113HB9IOE
brushed brass	T113HB9ILB
white painted	T113HB9IWL

GISÈLE -S- ROD 150CM SB 10CM



GISÈLE -M-	ROD	150CM	SB
10CM			



lamp type	retrofit LED
fitting	E27
wattage	15W
voltage	230V
ologo	1

lamp type	retrofit LED
fitting	E27
wattage	15W
voltage	230V
class	1

	fitting	G9
	wattage	5W
	voltage	230V
	class	1
<u>.</u>	order code	

lamp type retrofit LED

order code		
black painted	T113HC7HZL	
bronze	T113HC7HOE	
brushed brass	T113HC7HLB	
white painted	T113HC7HWL	

lamp type retrofit LED

fitting **E27** wattage 15W voltage 230V class 1

black painted	T113HC8IZL
bronze	T113HC8IOE
brushed brass	T113HC8ILB
white painted	T113HC8IWL

GISÈLE -M- ROD 180CM SB

order code


10CM

black painted T113HC9IZL bronze T113HC9IOE brushed brass T113HC9ILB white painted T113HC9IWL

GISÈLE -L- ROD 150CM SB

10CM

GISÈLE -S- ROD 180CM SB 10CM



lamp type	retrofit LED
fitting	E27
wattage	15W
voltage	230V

10CM	

GISÈLE -L- ROD 180CM SB

lamp type	retrofit LED
fitting	E27
wattage	15W
voltage	230V
class	1

black painted T113HD7HZL

brushed brass T113HD7HLB

white painted T113HD7HWL

bronze T113HD7H0E

order code

order code	
black painted	T113HD8IZL
bronze	T113HD8IOE
brushed brass	T113HD8ILB
white painted	T113HD8IWL

class 1

lamp type retrofit LED fitting **G9** wattage 5W voltage 230V class 1

order code	
black painted	T113HD8IZL
bronze	T113HD8IOE
brushed brass	T113HD8ILB
white painted	T113HD8IWL



GRID is an innovative modular surface mounted ceilingor wall system. A very small composition or an infinite network of profiles can be placed from a single electrical connection and provide light wherever required. The strikingly graphic configurations form sculptures discretely and stylishly integrated into the architecture of each space. Available with spots with a 45° beam angle for direct lighting or opal globes for a diffused light without glare.

GRID ARM 1 WITH 1 SPOT

GRID ARM 2 WITH 1 SPOT

GRID ARM 3 WITH 1 SPOT







lamp type	LED
colour temp.	2700K
wattage	4W
voltage	350mA
lumen	400
gear	not included
class	2

order code		
black anodized	T108P1DZL	
white painted	T108P1DWL	
		Т

lamp type	LED
colour temp.	2700K
wattage	4W
voltage	350mA
lumen	400
gear	not included
class	2

T108P2DZL
T108P2DWL

lamp type	LED
colour temp.	2700K
wattage	4W
voltage	350mA
lumen	400
gear	not included
class	2

order code	
black anodized	T108P3DZL
white painted	T108P3DWL






GRID ARM 1 WITH 2 SPOTS

GRID ARM 2 WITH 2 SPOTS

GRID ARM 3 WITH 2 SPOTS







lamp type	LED
colour temp.	2700K
wattage	2 x 4W
voltage	350mA
lumen	2 x 400
gear	not included
class	2

order code	
black anodized	T108P4DZL
white painted	T108P4DWL

lamp type	LED
colour temp.	2700K
wattage	2 x 4W
voltage	350mA
lumen	2 x 400
gear	not included
class	2

order code		
black anodized	T108P5DZL	
white painted	T108P5DWL	

lamp type	LED
colour temp.	2700K
wattage	2 x 4W
voltage	350mA
lumen	2 x 400
gear	not included
class	2

oraer coae	
black anodized	T108P6DZL
white painted	T108P6DWL

GRID CONNECTION PIECE 50CM

GRID CONNECTION PIECE 75CM

GRID CONNECTION PIECE 100CM







order code

black anodized	T108P7DZL
white painted	T108P7DWL

order code


black anodized	T108P8DZL
white painted	T108P8DWL

order code

black anodized	T108P9DZL
white painted	T108P9DWL

GRID BASE A WITH DRIVER


GRID BASE B WITH DRIVER



GRID	BASE	DALI	WITH
DRIVI	ER		



lamp type	LED
wattage	3 or 4 spots 4W
gear	included (TRIAC)
alaaa	1



_		
	lamp type	LED
	wattage	max. 4 spots 4W
	gear	included (DALI)
	class	1

order	COC

order code	
black anodized	T108C1DZLD
white painted	T108C1DWLD

black anodized	T108C1DZL
white painted	T108C1DWL

order code

black anodized	T108C2DZL
white nainted	T108C2DWI

grid globe design by glenn marys




GRID is an innovative modular surface mounted ceilingor wall system. A very small composition or an infinite network of profiles can be placed from a single electrical connection and provide light wherever required. The strikingly graphic configurations form sculptures discretely and stylishly integrated into the architecture of each space. Available with spots with a 45° beam angle for direct lighting or opal globes for a diffused light without glare.

GRID ARM 1 WITH 1 GLOBE

GRID ARM 2 WITH 1 GLOBE

GRID ARM 3 WITH 1 GLOBE







lamp type	LED
colour temp.	2700K
wattage	4W
voltage	350mA
lumen	400
gear	not included
class	2

order code	
black anodized	T108SP1DZL
white painted	T108SP1DWL

lamp type	LED
colour temp.	2700K
wattage	4W
voltage	350mA
lumen	400
gear	not included
class	2

order code	
black anodized	T108SP2DZL
white painted	T108SP2DWL

lamp type	LED
colour temp.	2700K
wattage	4W
voltage	350mA
lumen	400
gear	not included
class	2


order code	
black anodized	T108SP3DZL
white painted	T108SP3DWL




GRID ARM 1 WITH 2 GLOBES

GRID ARM 2 WITH 2 GLOBES

GRID ARM 3 WITH 2 GLOBES





lamp type	LED
colour temp.	2700K
wattage	2 x 4W
voltage	350mA
lumen	2 x 400
gear	not included
class	2

lamp type	LED
colour temp.	2700K
wattage	2 x 4W
voltage	350mA
lumen	2 x 400
gear	not included
class	2

lamp type	LED
colour temp.	2700K
wattage	2 x 4W
voltage	350mA
lumen	2 x 400
gear	not included
class	2

T108SP4DZL
T108SP4DWL

order code	
black anodized	T108SP5DZL
white painted	T108SP5DWL

order code	
black anodized	T108SP6DZL
white painted	T108SP6DWL

GRID CONNECTION PIECE 50CM

GRID CONNECTION PIECE 75CM

GRID CONNECTION PIECE 100CM







black anodized	T108P7DZL
white nainted	T108P7DWI


order code	
black anodized	T108P8DZL
white painted	T108P8DWL


order code black anodized T108P9DZL white painted T108P9DWL


GRID BASE A WITH DRIVER

GRID BASE B WITH DRIVER

GRID BASE DALI WITH DRIVER







lamp type	LED
wattage	3 or 4 spots 4W
gear	included (TRIAC)
class	1

lamp type	LED
wattage	max. 2 spots 4W
gear	included (TRIAC)
class	1

lamp type	LED
wattage	max. 4 spots 4W
gear	included (DALI)
class	1

gear	included (TRIAC)
class	1
order code	

black anodized T108C1DZL white painted T108C1DWL

order code	
black anodized	T108C2DZL
white painted	T108C2DWL

order code	
black anodized	T108C1DZLD
white painted	T108C1DWLD

grid suspension

design by glenn marys


GRID SUSPENSION is a centerpiece fixture with a graphic and energetic look. This contemporary chandelier branches out from a central point in a pure, geometric manner. The powerful LED modules are dimmable and can be equipped with a lens that direct the light downwards, or with opal glass shades that create a uniform and diffuse lighting.


GRID ARMS S


GRID ARMS L


GRID GLOBE ARMS S

GRID GLOBE ARMS L









lamp type	LED
colour temp.	2700K
wattage	3 x 4W
voltage	350mA
lumen	3 x 400
gear	not included
class	2

order code		
black anodized	T108HP1DZL	
white painted	T108HP1DWL	

lamp type	LED
colour temp.	2700K
wattage	3 x 4W
voltage	350mA
lumen	3 x 400
gear	not included
class	2

lamp type	LED
colour temp.	2700K
wattage	3 x 4W
voltage	350mA
lumen	3 x 400
gear	not included
class	2

order code	
black anodized	T108SHP1DZL
white painted	T108SHP1DWL

lamp type	LED
colour temp.	2700K
wattage	3 x 4W
voltage	350mA
lumen	3 x 400
gear	not included
class	2

order code	
black anodized	T108SHP2DZL
white painted	T108SHP2DWL





ROD 20CM FOR HEIGHT


GRID BASE SINGLE TRIAC OR DALI

GRID BASE DOUBLE TRIAC

GRID BASE DOUBLE DALI









lamp type	LED
wattage	3 x 4W
gear	included
class	1

lamp type	LED
wattage	6 x 4W
gear	included (TRIAC)
class	1

LED
6 x 4W
included (DALI)
1

Order multiple rods to define your height

order code

black anodized T108HRP1DZL white painted T108HRP1DWL

order code TRIAC

order code DALI

black anodized	T108H1DZL
white painted	T108H1DWL

order	code
-------	------

black anodized	T108H2DZL
white painted	T108H2DWL

order code

black anodized	T108H2DZLD
white painted	T108H2DWLD

black anodized	T108H1DZLD
white painted	T108H1DWLD

GRID PLATE EXCL. DRIVER

GRID BASE EXCL. DRIVER

DRIVERS







order code

black painted	T108H3DZL
white painted	T108H3DWL

order code SB 5.5cm

black painted	T108H4DZL
white painted	T108H4DWL

order code SB 10cm

black painted	T108H5DZL
white painted	T108H5DWL

order code SINGLE TRIAC

ID01DP10

order code SINGLE DALI ID01DP08

order code DOUBLE TRIAC MW40T

order code DOUBLE DALI OD04DD01



Inspired by the candelabra, TWINS is a collection of circular and linear pendants with a classic and sophisticated allure. The high brightness LED modules are placed in couples and direct the light only downwards creating a very intimate and cozy atmosphere. Combine several TWINS to create a chandelier or combine with BOUNCE to play with different light effects.



TWINS 475 -S-



lamp type	LED
colour temp.	2700K
wattage	6 x 4W
voltage	230V
lumen	6 x 400
gear	included (DALI)
class	1

order code

black	T110H1DZL
bronze	T110H1DOE
brushed brass	T110H1DLB
white	T110H1DWL

TWINS 475 -M-



lamp type	LED
colour temp.	2700K
wattage	6 x 4W
voltage	230V
lumen	6 x 400
gear	included (DALI)
class	1

order code

black	T110H4DZL
bronze	T110H4DOE
brushed brass	T110H4DLB
white	T110H4DWL

TWINS 475 -L-



lamp type	LED
colour temp.	2700K
wattage	6 x 4W
voltage	230V
lumen	6 x 400
gear	included (DALI)
class	1

order code

black	T110H7DZL
bronze	T110H7DOE
brushed brass	T110H7DLB

TWINS 475 -S-EXCL. DRIVER/BASE



lamp type	LED
colour temp.	2700K
wattage	6 x 4W
voltage	67.8V - 350mA
lumen	6 x 400
gear	not included
class	3

order code

T110H10DZL	black
T110H10DOE	bronze
T110H10DLB	brushed brass
T110H10DWL	white

TWINS 475 -M-EXCL. DRIVER/BASE



lamp type	LED
colour temp.	2700K
wattage	6 x 4W
voltage	67.8V - 350mA
lumen	6 x 400
gear	not included
class	3

order code

black	T110H11DZL
bronze	T110H11DOE
brushed brass	T110H11DLB
white	T110H11DWL


TWINS 475 -L-EXCL. DRIVER/BASE



lamp type	LED
colour temp.	2700K
wattage	6 x 4W
voltage	67.8V - 350mA
lumen	6 x 400
gear	not included
class	3

black	T110H12DZL
bronze	T110H12DOE
brushed brass	T110H12DLB
white	T110H12DWL


TWINS 675 -S-



lamp type	LED
colour temp.	2700K
wattage	6 x 4W
voltage	230V
lumen	6 x 400
gear	included (DALI)
class	1

black T110H2DZL bronze T110H2DOE brushed brass T110H2DLB white T110H2DWL

TWINS 675 - M-




lamp type	LED
colour temp.	2700K
wattage	6 x 4W
voltage	230V
lumen	6 x 400
gear	included (DALI)
class	1

order code

black	T110H5DZL
bronze	T110H5DOE
brushed brass	T110H5DLB
white	T110H5DWL

TWINS 675 -L-




lamp type	LED
colour temp.	2700K
wattage	6 x 4W
voltage	230V
lumen	6 x 400
gear	included (DALI)
class	1

order code

black	T110H8DZL
bronze	T110H8DOE
brushed brass	T110H8DLB
white	T110H8DWL

TWINS 675 -S-EXCL. DRIVER/BASE




lamp type	LED
colour temp.	2700K
wattage	6 x 4W
voltage	67.8V - 350mA
lumen	6 x 400
gear	not included
class	3

black T110H13DZL bronze T110H13DOE brushed brass T110H13DLB

white T110H13DWL

TWINS 675 -M-EXCL. DRIVER/BASE




lamp type	LED
colour temp.	2700K
wattage	6 x 4W
voltage	67.8V - 350mA
lumen	6 x 400
gear	not included
class	3

order code

black	T110H14DZL
bronze	T110H14DOE
brushed brass	T110H14DLB
white	T110H14DWL

TWINS 675 -L-EXCL. DRIVER/BASE




lamp type	LED
colour temp.	2700K
wattage	6 x 4W
voltage	67.8V - 350mA
lumen	6 x 400
gear	not included
class	3

black	T110H15DZL
bronze	T110H15DOE
brushed brass	T110H15DLB
white	T110H15DWL



TWINS 875 -M-


TWINS 875 -L-



lamp type	LED
colour temp.	2700K
wattage	6 x 4W
voltage	230V
lumen	6 x 400
gear	included (DALI)
class	1

order code


black	T110H3DZL
bronze	T110H3DOE
brushed brass	T110H3DLB
white	T110H3DWL



lamp type	LED
colour temp.	2700K
wattage	6 x 4W
voltage	230V
lumen	6 x 400
gear	included (DALI)
class	1

order code

black	T110H6DZL
bronze	T110H6DOE
brushed brass	T110H6DLB
white	T110H6DWL




wattage	6 x 4W
voltage	230V
lumen	6 x 400
gear	included (DALI)
class	1

order code

black	T110H9DZL
bronze	T110H9DOE
brushed brass	T110H9DLB
white	T110H9DWL

TWINS 875 -S-EXCL. DRIVER/BASE




lamp type	LED
colour temp.	2700K
wattage	6 x 4W
voltage	67.8V - 350mA
lumen	6 x 400
gear	not included
class	3

order code

T110H16DZL	black
T110H16DOE	bronze
T110H16DLB	brushed brass
T110H16DWL	white

TWINS 875 -M-EXCL. DRIVER/BASE




lamp type	LED
colour temp.	2700K
wattage	6 x 4W
voltage	67.8V - 350mA
lumen	6 x 400
gear	not included
class	3

order code

ick T110F	17DZL
ze T110F	17DOE
ss T110F	117DLB
ite T110F	17DWL

TWINS 875 -L-EXCL. DRIVER/BASE



lamp type	LED
colour temp.	2700K
wattage	6 x 4W
voltage	67.8V - 350mA
lumen	6 x 400
gear	not included
class	3

black	T110H18DZL
bronze	T110H18DOE
brushed brass	T110H18DLB
white	T110H18DWL



DRIVERS

CEILING BASE SB 5,5

CEILING PLATE C1B 5,5

CABLE GUIDE









order	code	DALI

0.40.0040 2712	•
120x75x25	TMW0009
order code TRIA	C
144x60xh32	MW40T

order code

TP55ZL	black
TP550E	bronze
TP55LB	brushed brass
TP55WL	white

order code

black	TP9BBZL
bronze	TP9BBOE
brushed brass	TP9BBLB
white	TP9BBWL


black	TP39ZL
brushed brass	TP39LB
white	TP39WL

twins lines

design by glenn marys




TWINS LINES 120 -S-



lamp type	LED
colour temp.	2700K
wattage	4 x 4W
voltage	230V
lumen	4 x 400
gear	included (DALI)
class	1

black T110H19DZL bronze T110H19DGE brushed brass T110H19DLB white T110H19DWL

TWINS LINES 120 -M-




lamp type	LED
colour temp.	2700K
wattage	4 x 4W
voltage	230V
lumen	4 x 400
gear	included (DALI)
class	1

order code

black	T110H20DZL
bronze	T110H20DOE
brushed brass	T110H20DLB
white	T110H20DWL

TWINS LINES 120 -L-




lamp type	LED
colour temp.	2700K
wattage	4 x 4W
voltage	230V
lumen	4 x 400
gear	included (DALI)
class	1

order code

black	T110H21DZL
bronze	T110H21DOE
brushed brass	T110H21DLB
white	T110H21DWL


TWINS LINES 120 -S-EXCL. DR/BASE



lamp type	LED
colour temp.	2700K
wattage	4 x 4W
voltage	45.2V - 350mA
lumen	4 x 400
gear	not included
class	3

order code	
black	T110H22DZL
bronze	T110H22DOE
brushed brass	T110H22DLB
white	T110H22DWL


TWINS LINES 120 -M-EXCL. DR/BASE



lamp type	LED
colour temp.	2700K
wattage	4 x 4W
voltage	45.2V - 350mA
lumen	4 x 400
gear	not included
class	3

order code	
black	T110H23DZL
bronze	T110H23DOE
brushed brass	T110H23DLB
white	T110H23DWL

TWINS LINES 120 -L-EXCL. DR/BASE




lamp type	LED
colour temp.	2700K
wattage	4 x 4W
voltage	45.2V - 350mA
lumen	4 x 400
gear	not included
class	3


black	T110H24DZL
bronze	T110H24DOE
brushed brass	T110H24DLB
white	T110H24DWL


TWINS LINES 180 -S-

TWINS LINES 180 -M-

TWINS LINES 180 -L-







lamp type	LED
colour temp.	2700K
wattage	6 x 4W
voltage	230V
lumen	6 x 400
gear	included (DALI)
class	1

lamp type	LED
colour temp.	2700K
wattage	6 x 4W
voltage	230V
lumen	6 x 400
gear	included (DALI)
class	1

lamp type	LED
colour temp.	2700K
wattage	6 x 4W
voltage	230V
lumen	6 x 400
gear	included (DALI)
class	1

order code	
black	T110H25DZL
bronze	T110H25DOE
hruchad hrace	T110H25DLB

white T110H25DWL


order code	
black	T110H26DZL
bronze	T110H26DOE
brushed brass	T110H26DLB
white	T110H26DWL


order code	
black	T110H27DZL
bronze	T110H27DOE
brushed brass	T110H27DLB
white	T110H27DWL


TWINS LINES 180 -S-EXCL. DR/BASE

TWINS LINES 180 -M-EXCL. DR/BASE









lamp type	LED
colour temp.	2700K
wattage	6 x 4W
voltage	67.8V - 350mA
lumen	6 x 400
gear	not included
class	3

LED	lamp type
2700K	colour temp.
6 x 4W	wattage
67.8V - 350mA	voltage
6 x 400	lumen
not included	gear
3	class

lamp type	LED
colour temp.	2700K
wattage	6 x 4W
voltage	67.8V - 350mA
lumen	6 x 400
gear	not included
class	3

ord	ler	coc	le

black	T110H28DZL
bronze	T110H28DOE
brushed brass	T110H28DLB
white	T110H28DWL

order code	
black	T110H29DZL
bronze	T110H29DOE
brushed brass	T110H29DLB
white	T110H29DWL

T110H30DZL
T110H30DOE
T110H30DLB
T110H30DWL









order code DALI

120x75x25	TMW0009
order code TRIAC) *
100x57x30	MW25
*only for TWINS LIN	NE 120

order code TRIAC*
144x60xh32 MW40T

*only for TWINS LINE 180


order code

_		
	black	TP55ZL
	bronze	TP55OE
	brushed brass	TP55LB
Т	white	TP55WL

order code

black	TP9BBZL
bronze	TP9BBOE
brushed brass	TP9BBLB
white	TP9BBWL

black	TP39ZL
brushed brass	TP39LB
white	TP39WL





VIC is a series of surface- and recessed mounted, track mounted and pendant mounted cylindrical spots. The combination of the minimalistic elegance and the integrated high-quality LED, provides a discrete yet functional solution to general lighting or accent lighting.


VIC C1 - 8CM




VIC C1 - 10CM



VIC C2 - 14CM



VIC C3 - 14CM



lamp type	LED
colour temp.	2700K
wattage	4W 45°*
voltage	350mA
lumen	400
gear	not included
class	2

* 10° also possible

lamp type	LED
colour temp.	2700K
wattage	4W 45°*
voltage	350mA
lumen	400
gear	not included
class	2

* 10° also possible

lamp type	LED
colour temp.	2700K
wattage	2 x 4W 45°*
voltage	350mA
lumen	2 x 400
gear	not included
class	2
	* 100 alaa aaasibla

* 10° also possible

lamp type	LED
colour temp.	2700K
wattage	3 x 4W 45°*
voltage	350mA
lumen	3 x 400
gear	not included
class	2

* 10° also possible

order code

black	T107S1DZL
bronze	T107S1DOE
brushed brass	T107S1DLB
white	T107S1DWL

order code

black	T107S4DZL
bronze	T107S4DOE
brushed brass	T107S4DLB
white	T107S4DWL

order code

T107S2DZL	black
T107S2DOE	bronze
T107S2DLB	brushed brass
T107S2DWL	white

order code

T107S3DZL	black
T107S3DOE	bronze
T107S3DLB	brushed brass
T107S3DWL	white

VIC C1B - 6CM



VIC C1B - 9CM



VIC C1S - 4,5CM



VIC C1S - 9CM



or concrete

	ioi concrete
lamp type	LED
colour temp.	2700K
wattage	4W 45°*
voltage	350mA
lumen	400
gear	not included
class	2

* 10° also possible

for concrete

lamp type	LED
colour temp.	2700K
wattage	4W 45°*
voltage	350mA
lumen	400
gear	not included
class	2

* 10° also possible

for plasterboard

lamp type	LED
colour temp.	2700K
wattage	4W 45°*
voltage	350mA
lumen	400
gear	not included
class	2

* 10° also possible

for plasterboard

	ioi piaoterboara
lamp type	LED
colour temp.	2700K
wattage	4W 45°*
voltage	350mA
lumen	400
gear	not included
class	2

* 10° also possible

order code

black	T107S29DZL
bronze	T107S29DOE
brushed brass	T107S29DLB
white	T107S29DWL

order code

T107S30DZL	black
T107S30DOE	bronze
T107S30DLB	brushed brass
T107S30DWI	white

order code

black	T107S20DZL
bronze	T107S20DOE
brushed brass	T107S20DLB
white	T107S20DWL

black	T107S13DZL
bronze	T107S13DOE
brushed brass	T107S13DLB
white	T107S13DWL




VIC SB1 - 5,5CM



VIC SB2 - 10CM







lamp type	LED
colour temp.	2700K
wattage	4W 45°*
voltage	350mA
lumen	400
gear	not included
class	1
	† 400 - l il- l-

^{* 10°} also possible

lamp type	LED
colour temp.	2700K
wattage	4W 45°*
voltage	230V
lumen	400
gear	included (TRIAC)
class	1

^{* 10°} also possible

lamp type	LED
colour temp.	2700K
wattage	2 x 4W 45°*
voltage	230V
lumen	2 x 400
gear	included (TRIAC)
class	1
	* 100 alaa saasibla

^{* 10°} also possible

order	code

0.40.0040	
black	T107S90DZL
bronze	T107S90DOE
brushed brass	T107S90DLB
white	T107S90DWL

order code

black	T107S91DZL
bronze	T107S91DOE
brushed brass	T107S91DLB
white	T107S91DWL

black	T107S92DZL
bronze	T107S92DOE
brushed brass	T107S92DLB
white	T107S92DWL




VIC ZB2



VIC ZB3



VIC ZB4



lamp type	LED
colour temp.	2700K
wattage	2 x 4W 45°*
voltage	230V
lumen	2 x 400
gear	included (TRIAC)
class	1
	± 100 l !!!

* 10° also possible

lamp type	LED
colour temp.	2700K
wattage	3 x 4W 45°*
voltage	230V
lumen	3 x 400
gear	included (TRIAC)
class	1

* 10° also possible

lamp type	LED
colour temp.	2700K
wattage	4 x 4W 45°*
voltage	230V
lumen	4 x 400
gear	included (TRIAC)
class	1

* 10° also possible

order code

T107S100DZL	black
T107S100DOE	bronze
T107S100DLB	brushed brass
T107S100DWL	white

order code

T107S101DZL	black
T107S101DOE	bronze
T107S101DLB	brushed brass
T107S101DWL	white

T107S102DZL	black
T107S102DOE	bronze
T107S102DLB	brushed brass
T107S102DWI	white

vic suspension

design by nosta


VIC is a series of surface- and recessed mounted, track mounted and pendant mounted cylindrical spots. The combination of the minimalistic elegance and the integrated high-quality LED, provides a discrete yet functional solution to general lighting or accent lighting.



VIC 75 SUSP. SB 5,5CM



VIC 125 SUSP. SB 5,5CM



VIC 185 SUSP. SB 5,5CM



lamp type	LED
colour temp.	2700K
wattage	4W 45°*
voltage	11,3V - 350mA
lumen	400
gear	not included
class	1
	* 100 alaa maasibla

10° also possible

lamp type	LED
colour temp.	2700K
wattage	4W 45°*
voltage	11,3V - 350mA
lumen	400
gear	not included
class	1

* 10° also possible

lamp type	LED
colour temp.	2700K
wattage	4W 45°*
voltage	11,3V - 350mA
lumen	400
gear	not included
class	1
	+ 100 1 11

* 10° also possible

order code

T107H4DZL	black
T107H4DOE	bronze
T107H4DLB	brushed brass
T107H4DWL	white

order code

black	T107H5DZL
bronze	T107H5DOE
brushed brass	T107H5DLB
white	T107H5DWL

order code

black	T107H6DZL
bronze	T107H6DOE
brushed brass	T107H6DLB
white	T107H6DWL

VIC 185 SUSP. SB 10CM

VIC 75 SUSP. SB 10CM



VIC 125 SUSP. SB 10CM





lamp type	LED
colour temp.	2700K
wattage	4W 45°*
voltage	230V
lumen	400
gear	included (TRIAC)
class	1
-	+ 100 11

* 10° also possible

lamp type	LED
colour temp.	2700K
wattage	4W 45°*
voltage	230V
lumen	400
gear	included (TRIAC)
class	1

* 10° also possible

lamp type	LED
colour temp.	2700K
wattage	4W 45°*
voltage	230 V
lumen	400
gear	included (TRIAC)
class	1

* 10° also possible

order code

_		
Ī	black	T107H7DZL
Ξ	bronze	T107H7DOE
Ξ	brushed brass	T107H7DLB
	white	T107H7DWL

order code

T107H8DZL	black
T107H8DOE	bronze
T107H8DLB	brushed brass
T107H8DWL	white

black	T107H9DZL
bronze	T107H9DOE
brushed brass	T107H9DLB
white	T107H9DWL


VIC 75 SUSP. C1B 9CM

VIC 125 SUSP. C1B 9CM

VIC 185 SUSP. C1B 9CM







lamp type	LED
colour temp.	2700K
wattage	4W 45°*
voltage	11,3V - 350mA
lumen	400
gear	not included
class	3
	± 100 l "II

* 10° also possible

lamp type	LED
colour temp.	2700K
wattage	4W 45°*
voltage	11,3V - 350mA
lumen	400
gear	not included
class	3

* 10° also possible

lamp type	LED
colour temp.	2700K
wattage	4W 45°*
voltage	11,3V - 350mA
lumen	400
gear	not included
class	3

* 10° also possible

order code

black	T107H10DZL
bronze	T107H10DOE
brushed brass	T107H10DLB
white	T107H10DWL

order code

ick T	07H11DZL
nze T	07H11DOE
ass T	07H11DLB
nite T	07H11DWL

order code

black	T107H12DZL
bronze	T107H12DOE
brushed brass	T107H12DLB
white	T107H12DWL

VIC 75 SUSP. M10



VIC 125 SUSP. M10



VIC 185 SUSP. M10



LED	lamp type
2700K	colour temp.
4W 45°*	wattage
11,3V - 350mA	voltage
400	lumen
not included	gear
3	class
* 100 alaa maasibla	

* 10° also possible

lamp type	LED
colour temp.	2700K
wattage	4W 45°*
voltage	11,3V - 350mA
lumen	400
gear	not included
class	3

* 10° also possible

lamp type	LED
colour temp.	2700K
wattage	4W 45°*
voltage	11,3V - 350mA
lumen	400
gear	not included
class	3

* 10° also possible

order code

	black	T107H13DZL
	bronze	T107H13DOE
brus	hed brass	T107H13DLB
	white	T107H13DWL

order code

black	T107H14DZL
bronze	T107H14DOE
brushed brass	T107H14DLB
white	T107H14DWL

black	T107H15DZL
bronze	T107H15DOE
brushed brass	T107H15DLB
white	T107H15DWL

VIC 75 SUSP. C1B 5.5CM



VIC 125 SUSP. C1B 5.5CM



lamp type	LED
colour temp.	2700K
wattage	4W 45°*
voltage	11,3V - 350mA
lumen	400
gear	not included
class	3

^{* 10°} also possible

lamp type	LED
colour temp.	2700K
wattage	4W 45°*
voltage	11,3V - 350mA
lumen	400
gear	not included
class	3

^{* 10°} also possible

order code

T107H1DZL	black
T107H1DOE	bronze
T107H1DLB	brushed brass
T107H1DWL	white

order code

black	T107H2DZL
bronze	T107H2DOE
brushed brass	T107H2DLB
white	T107H2DWL

VIC 185 SUSP. C1B 5.5CM



lamp type	LED
colour temp.	2700K
wattage	4W 45°*
voltage	11,3V - 350mA
lumen	400
gear	not included
class	3

^{* 10°} also possible

black	T107H3DZL
bronze	T107H3DOE
brushed brass	T107H3DLB
white	T107H3DWL

victor floor

design by nosta

VICTOR GU10 is designed to obtain a versatile accent lighting solution with a discrete elegant design. The GU10 is perfectly suited for LED retrofit bulbs.

VICTOR with integrated LED module has a hybrid optic system for the perfect light beam and to avoid any dazzle while improving light performance.

VICTOR FLOOR 130 - GU10



VICTOR FLOOR 130 - LED

VICTOR FLOOR 160 - LED



lamp type	retrofit LED
fitting	GU10
wattage	8W
voltage	230V
class	1

lamp type	retrofit LED
fitting	GU10
wattage	8W
voltage	230V
class	1

T104F1HZL
T104F1HOE
T104F1HLB
T104F1HWL



retrofit LED	lamp type
GU10	fitting
8W	wattage
230V	voltage
1	class

order code	
black	T104F2HZL
bronze	T104F2HOE
brushed brass	T104F2HLB
white	T104F2HWL



lamp type	LED
colour temp.	2700K
wattage	6W
voltage	230V
lumen	740
gear	included (DIM)
class	1

order code	
black	T104F1DZL
bronze	T104F1DOE
brushed brass	T104F1DLB
white	T104F1DWL



lamp type	LED
colour temp.	2700K
wattage	6W
voltage	230V
lumen	740
gear	included (DIM)
class	1

order code	
black	T104F2DZL
bronze	T104F2DOE
brushed brass	T104F2DLB
white	T104F2DWL



victor rod

design by nosta



VICTOR GU10 is designed to obtain a versatile accent lighting solution with a discrete elegant design. The GU10 is perfectly suited for LED retrofit bulbs.

VICTOR with integrated LED module has a hybrid optic system for the perfect light beam and to avoid any dazzle while improving light performance.





VICTOR ROD 90CM C1 8CM


VICTOR ROD 120CM C1 8CM


VICTOR ROD 150CM C1 8CM

VICTOR ROD 180CM C1 8CM









lamp type	retrofit LED
fitting	GU10
wattage	10W
voltage	230V
class	2

lamp type	retrofit LED
fitting	GU10
wattage	10W
voltage	230V
class	2

lamp type	retrofit LED
fitting	GU10
wattage	10W
voltage	230V
class	2

lamp type	retrofit LED
fitting	GU10
wattage	10W
voltage	230V
class	2


order code	
black	T104RA1HZL
bronze	T104RA1HOE
brushed brass	T104RA1HLB
white	T104RA1HWL

order code	
black	T104RB1HZL
bronze	T104RB1HOE
brushed brass	T104RB1HLB
white	T104RB1HWL


order code	
black	T104RC1HZL
bronze	T104RC1HOE
brushed brass	T104RC1HLB
white	T104RC1HWL

order code	
black	T104RD1HZL
bronze	T104RD1HOE
brushed brass	T104RD1HLB
white	T104RD1HWL

VICTOR ROD 90CM SB 5.5CM



VICTOR ROD 120CM SB		
5.5CM		



VICTOR ROD	150CM	SE
5.5CM		



VICTOR	ROD 180CM	SB
5.5CM		



lamp type	retrofit LED
fitting	GU10
wattage	10W
voltage	230V
class	1

lamp type	retrofit LED

lamp type	retrofit LED
fitting	GU10
wattage	10W
voltage	230V
class	1

order code	
black	T104RA2HZL
bronze	T104RA2HOE
brushed brass	T104RA2HLB
white	T104RA2HWL

class 1

order code	
black	T104RB2HZL
bronze	T104RB2HOE
brushed brass	T104RB2HLB
white	T104RB2HWL

order code	
black	T104RC2HZL
bronze	T104RC2HOE
brushed brass	T104RC2HLB
white	T104RC2HWL

fitting GU10

wattage 10W


voltage 230V class 1

order code	
black	T104RD2HZL
bronze	T104RD2HOE
brushed brass	T104RD2HLB
white	T104RD2HWL









H

lamp type	retrofit LED
fitting	GU10
wattage	10W
voltage	230V
class	1

lamp type	retrofit LED
fitting	GU10
wattage	10W
voltage	230V
class	1


order code		
black	T104RA3HZL	
bronze	T104RA3HOE	
brushed brass	T104RA3HLB	
uhito	T104DA2HWI	


order code

T104RB3HZL	black	
T104RB3HOE	bronze	
T104RB3HLB	brushed brass	
T104RB3HWL	white	

VICTOR ROD 150CM SB 10CM

VICTOR ROD 180CM SB 10CM





lamp type	retrofit LED
fitting	GU10
wattage	10W
voltage	230V
class	1

lamp type	retrofit LED
fitting	GU10
wattage	10W
voltage	230V
class	1

order	code

black	T104RC3HZL
bronze	T104RC3HOE
brushed brass	T104RC3HLB
white	T104RC3HWL

order code

black	T104RD3HZL
bronze	T104RD3HOE
brushed brass	T104RD3HLB
white	T104RD3HWL







VICTOR ROD 90CM C1 8CM


VICTOR ROD 120CM C1 8CM


VICTOR ROD 150CM C1 8CM

VICTOR ROD 180CM C1 8CM









LED	lamp type
2700K	colour temp.
6W	wattage
11.8V - 350mA	voltage
2	class
not included	gear

	lamp type	LED
	colour temp.	2700K
	wattage	6W
•	voltage	11.8V - 350mA
•	class	2
	gear	not included

lamp type	LED	lamp type	LED
colour temp.	2700K	colour temp.	2700K
wattage	6W	wattage	6W
voltage	11.8V - 350mA	voltage	11.8V - 350mA
class	2	class	2
gear	not included	gear	not included

	-	
	class	2
	gear	n
order code		

T104RA1DZL	black
T104RA1DOE	bronze
T104RA1DLB	brushed brass
T104RA1DWL	white

order code

T104RB1DZL	black
T104RB1D0E	bronze
T104RB1DLB	brushed brass
T104RB1DWL	white


order code

T104RC1DZL	black
T104RC1DOE	bronze
T104RC1DLB	brushed brass
T104RC1DWL	white


order code

T104RD1DZL	black
T104RD1D0E	bronze
T104RD1DLB	brushed brass
T104RD1DWL	white


VICTOR ROD 90CM SB 5.5CM



VICTOR	ROD	120CM	SB
5.5CM			




VICTOR	ROD	150CM	SB
5.5CM			



VICTOR	ROD	180CM	SB
5.5CM			





lamp type	LED
colour temp.	2700K
wattage	6W
voltage	11.8V - 350mA
class	1
gear	not included

lamp type	LED
colour temp.	2700K
wattage	6W
voltage	11.8V - 350mA
class	1
gear	not included

lamp type	LED
colour temp.	2700K
wattage	6W
voltage	11.8V - 350mA
class	1
gear	not included

lamp type	LED
colour temp.	2700K
wattage	6W
voltage	11.8V - 350mA
class	1
gear	not included

order	code

black	T104RA2DZL
bronze	T104RA2DOE
brushed brass	T104RA2DLB
white	T104RA2DWL

order code

0.40. 0040	
black	T104RB2DZL
bronze	T104RB2DOE
brushed brass	T104RB2DLB
white	T104RB2DWL


order code

T104RC2DZL	black
T104RC2DOE	bronze
T104RC2DLB	brushed brass
T104RC2DWL	white

black	T104RD2DZL
bronze	T104RD2DOE
brushed brass	T104RD2DLB
white	T104RD2DWL




VICTOR ROD 90CM SB 10CM



lamp type	LED
colour temp.	2700K
wattage	6W
voltage	230V
class	1
gear	included (TRIAC)

order code	
black	T104RA3DZL
bronze	T104RA3DOE
brushed brass	T104RA3DLB
white	T104RA3DWL


VICTOR ROD 120CM SB 10CM



lamp type	LED
colour temp.	2700K
wattage	6W
voltage	230V
class	1
gear	included (TRIAC)

order code	
black	T104RB3DZL
bronze	T104RB3DOE
brushed brass	T104RB3DLB
white	T104RB3DWL


VICTOR ROD 150CM SB 10CM



lamp type	LED
colour temp.	2700K
wattage	6W
voltage	230V
class	1
gear	included (TRIAC)

order code	
black	T104RC3DZL
bronze	T104RC3DOE
brushed brass	T104RC3DLB
white	T104RC3DWL

VICTOR ROD 180CM SB 10CM



lamp type	LED
colour temp.	2700K
wattage	6W
voltage	230V
class	1
gear	included (TRIAC)

order code	
black	T104RD3DZL
bronze	T104RD3DOE
brushed brass	T104RD3DLB
white	T104RD3DWL

track collection

TRACK SPOTS can easily be positioned as required and quick changes can be made to meet changing circumstances. The variety of our track luminaires can enlighten any space or accentuate a specific area.



VIC 48V ADAPTOR

VIC 2X48V ADAPTOR





lamp type	LED
colour temp.	2700K
wattage	4W
voltage	48 V
lumen	400
class	1
gear	48V included

lamp type	LED
colour temp.	2700K
wattage	2 x 4W
voltage	48V
lumen	2 x 400
class	1
gear	48V included

order code

_		
	black	T107R1DZL
Ι	bronze	T107R1DOE
Ξ	brushed brass	T107R1DLB
	white	T107R1DWL

order code

black	T107R2DZL
bronze	T107R2DOE
brushed brass	T107R2DLB
white	T107R2DWL

VIC 75 SUSPENSION 48V ADAPTOR





VIC 185 SUSPENSION 48V ADAPTOR



lamp type	LED
colour temp.	2700K
wattage	4W
voltage	48 V
lumen	400
class	1
gear	48V included

lamp type	LED
colour temp.	2700K
wattage	4W
voltage	48V
lumen	400
class	1
gear	48V included

LED	lamp type
2700K	colour temp.
e 4W	wattage
e 48V	voltage
400	lumen
1	class
48V included	gear

order code

T107HR1DZL	black
T107HR1DOE	bronze
T107HR1DLB	brushed brass
T107HR1DWL	white

order code	
black	T107HR2DZL
bronze	T107HR2DOE
brushed brass	T107HR2DLB
white	T107HR2DWL

black	T107HR3DZL
bronze	T107HR3DOE
brushed brass	T107HR3DLB
white	T107HR3DWL

VICTOR GU10 1F ADAPTOR*


VICTOR 3F ADAPTOR

VICTOR 3F EUTRAC ADAPTOR*

VICTOR LED 3F DALI ADAPTOR









*ONLY	FOR	NORDIC	RAILS.

lamp type	retrofit LED
fitting	GU10
wattage	10W
voltage	230V
class	1

retrofit LED	lamp type
GU10	fitting
10W	wattage
230V	voltage
1	class

*ONLY FOR EUTRAC RAILS				
lamp type	retrofit LED			
fitting	GU10			
wattage	10W			
voltage	230V			
class	1			

type LED	lamp type
emp. 2700K	colour temp.
ttage 6W	wattage
oltage 230V	voltage
class 1	class
gear included (DALI)	gear

order code

black	T104R3HZL
bronze	T104R3HOE
brushed brass	T104R3HLB
white	T104R3HWL

orc	ler	code	•

black	T104R1HZL
bronze	T104R1HOE
brushed brass	T104R1HLB
white	T104R1HWL

order code

0.40.0040	
black	T104R2HZL
bronze	T104R2HOE
brushed brass	T104R2HLB
white	T104R2HWL

order code

T104R4DZL	black
T104R4DOE	bronze
T104R4DLB	brushed brass
T104R4DWL	white

VICTOR LED 48V ADAPTOR



VICTOR	120	SUSP.	48V
ADAPTO	ıR		



VICTOR 200 SUSP. 48V ADAPTOR



VICTOR	295	SUSP.	48V
ADADTO	ND.		



lamp type	LED
colour temp.	2700K
wattage	6W
voltage	48 V
class	1
gear	48V included

lamp type	LED
colour temp.	2700K
wattage	6W
voltage	48 V
class	1
gear	48V included

lamp type	LED
colour temp.	2700K
wattage	6W
voltage	48V
class	1
gear	48V included

LED
2700K
6W
48V
1
48V included

order code

T104R5DZL	black
T104R5DOE	bronze
T104R5DLB	brushed brass
T104R5DWL	white

order code

	0.40.0040
T104HR1DZL	black
T104HR1DOE	bronze
T104HR1DLB	brushed brass
T104HR1DWL	white

order code

black	T104HR2DZL
bronze	T104HR2DOE
brushed brass	T104HR2DLB
white	T104HR2DWL

black	T104HR3DZL
bronze	T104HR3DOE
brushed brass	T104HR3DLB
white	T104HR3DWL



GLOBE -S- 48V ADAPTOR

GLOBE -M- 48V ADAPTOR

GLOBE -L- 48V ADAPTOR







lamp type	LED
colour temp.	2700K
wattage	2W
voltage	48V
class	1
gear	48V included

lamp type	LED
colour temp.	2700K
wattage	4W
voltage	48V
class	1
gear	48V included

lamp type	LED
colour temp.	2700K
wattage	10W
voltage	48 V
class	1
gear	48V included

order code	
black	T114R1DZL
bronze	T114R1DOE
brushed brass	T114R1DLB
white	T114R1DWL

order code	
black	T114R2DZL
bronze	T114R2DOE
brushed brass	T114R2DLB
white	T114R2DWL

order code	
black	T114R3DZL
bronze	T114R3DOE
brushed brass	T114R3DLB

white T114R3DWL

GLOBE -S- 1F ADAPTOR

GLOBE -M- 1F ADAPTOR

GLOBE -L- 1F ADAPTOR







lamp type	retrofit LED
fitting	G9
wattage	5W
voltage	230V
class	1

lamp type	retrofit LED
fitting	E27
wattage	15W
voltage	230V
class	1


lamp type	retrofit LED
fitting	E27
wattage	15W
voltage	230 V
class	1

black	T114R1HZL
bronze	T114R1HOE
brushed brass	T114R1HLB
white	T114R1HWL


order code	
black	T114R2IZL
bronze	T114R2IOE
brushed brass	T114R2ILB
white	T114R2IWL

order code	
black	T114R3IZL
bronze	T114R3IOE
brushed brass	T114R3ILB
white	T114R3IWL

GLOBE -S- 3F EUTRAC ADAPTOR



GLOBE -M- 3F EUTRAC ADAPTOR



GLOBE -L- 3F EUTRAC ADAPTOR



p type	retrofit LED
fitting	G9
attage	5W
oltage/	230V
class	1

lamp type	retrofit LED
fitting	E27
wattage	15W
voltage	230V
class	1

lamp type	retrofit LED
fitting	E27
wattage	15W
voltage	230V
class	1

order code	
black	T114R4HZL
bronze	T114R4H0E
brushed brass	T114R4HLB
white	T114R4HWL

order code	
black	T114R5IZL
bronze	T114R5IOE
brushed brass	T114R5ILB
white	T114R5IWL

order code

black	T114R6IZL
bronze	T114R6IOE
brushed brass	T114R6ILB
white	T114R6IWL

CIRCUS DIABOLO 48V ADAPTOR



lamp type	LED
colour temp	2700K
wattage	5W
voltage	48V
lumen	450
gear	48V included
class	1

black	T109DHR1DZL
champagne rose	T109DHR1DCR
Champagne rose	TIUSDIINIDON

tossB Karveelstraat 2 8380 Zeebrugge Belgium

> info@tossB.com www.tossB.com +32 50 54 35 49