



AVIGNON



Suspension





PRODUCT INFORMATION






tossB


AVIGNON

Suspension


	AVIGNON 1350	FINISH & ORDER CODE Black T117H3DZL White T117H3DWL Bronze T117H3DOE Brushed Brass T117H3DLB Light bronze T117H3DBL	LIGHT SPECS & ELECTRO Lamp type: LED Colour temp: 2700K Fitting: - Max. watt: 24W Voltage: 24V Lumen: 2838 Gear: NOT INCLUDED Beam angle: - CRI: 90
	EXCL. BASE & DRIVER ADDITIONAL INFORMATION RAL colours available 3000K available Standard cable length 2500mm - longer cable available on request		 IP20
	AVIGNON 2000	FINISH & ORDER CODE Black T117H7DZL White T117H7DWL Bronze T117H7DOE Brushed Brass T117H7DLB Light bronze T117H7DBL	LIGHT SPECS & ELECTRO Lamp type: LED Colour temp: 2700K Fitting: - Max. watt: 37W Voltage: 24V Lumen: 4290 Gear: NOT INCLUDED Beam angle: - CRI: 90
	EXCL. BASE & DRIVER ADDITIONAL INFORMATION RAL colours available 3000K available Standard cable length 2500mm - longer cable available on request		 IP20

	CEILING BASE RECTANGLE 275 DIM TRIAC 50W-24V INCL. TRIAC DRIVER	FINISH & ORDER CODE Black TB24T001ZL White TB24T001WL Bronze TB24T001OE Brushed Brass TB24T001LB Light bronze TB24T001BL	LIGHT SPECS & ELECTRO Lamp type: - Colour temp: - Fitting: - Max. watt: 50W Voltage: 230V Lumen: - Gear: INCLUDED Beam angle: - CRI: -  IP20
	CEILING BASE RECTANGLE 275 DIM DALI 60W-24V INCL. DALI DRIVER	FINISH & ORDER CODE Black TB24D001ZL White TB24D001WL Bronze TB24D001OE Brushed Brass TB24D001LB Light bronze TB24D001BL	LIGHT SPECS & ELECTRO Lamp type: - Colour temp: - Fitting: - Max. watt: 60W Voltage: 230V Lumen: - Gear: INCLUDED Beam angle: - CRI: -  IP20
	CEILING BASE SB 55 EXCL. DRIVER	FINISH & ORDER CODE Black TBL011ZL White TBL011WL Bronze TBL011OE Brushed brass TBL011LB Light bronze TBL011BL	
	CEILING BASE SB 100 EXCL. DRIVER	FINISH & ORDER CODE Black TBL012ZL White TBL012WL Bronze TBL012OE Brushed brass TBL012LB Light bronze TBL012BL	
	CEILING PLATE C1B 60 (40-50) EXCL. DRIVER	FINISH & ORDER CODE Black TPL005ZL White TPL005WL Bronze TPL005OE Brushed brass TPL005LB Light bronze TPL005BL	
ADDITIONAL INFORMATION For concrete ceiling Hole size: 40-50 mm x h35mm			


 Ø90	CEILING PLATE C1B 90 (50-60)	FINISH & ORDER CODE Black TPL007ZL White TPL007WL Bronze TPL007OE Brushed brass TPL007LB Light bronze TPL007BL
	EXCL. DRIVER	ADDITIONAL INFORMATION For concrete ceiling Hole size: 50-60 mm x h35mm
 Ø90	CEILING PLATE C1B 90 (75-85)	FINISH & ORDER CODE Black TPL006ZL White TPL006WL Bronze TPL006OE Brushed brass TPL006LB Light bronze TPL006BL
	EXCL. DRIVER	ADDITIONAL INFORMATION For concrete ceiling Hole size: 75-85 mm x h35mm
 Ø60	CEILING PLATE C1S 60 (40-50)	FINISH & ORDER CODE Black TPL009ZL White TPL009WL Bronze TPL009OE Brushed brass TPL009LB Light bronze TPL009BL
	EXCL. DRIVER	ADDITIONAL INFORMATION For plasterboard Hole size: 40-50 mm x h35mm
 Ø90	CEILING PLATE C1S 90 (40-80)	FINISH & ORDER CODE Black TPL010ZL White TPL010WL Bronze TPL010OE Brushed brass TPL010LB Light bronze TPL010BL
	EXCL. DRIVER	ADDITIONAL INFORMATION For plasterboard Hole size: 40-80 mm x h35mm
 Ø10 22	CABLE GUIDE LED	FINISH & ORDER CODE Black TA001ZL White TA001WL Bronze TA001OE Brushed brass TA001LB Light bronze TA001BL
	ADDITIONAL INFORMATION RAL colours available	



AVIGNON PROFILE



LENGTH + CABLE DISTANCE 1350



LENGTH + CABLE DISTANCE 2000

