



GISELE





Rod — Design by tossB






PRODUCT INFORMATION






tossB






GISÈLE






Rod — Design by tossB






	GISÈLE SPHERE S ROD 150 C1 80	FINISH & ORDER CODE Black T113HY1HZL White T113HY1HWL Bronze T113HY1HOE Brushed brass T113HY1HLB Light bronze T113HY1HBL	LIGHT SPECS & ELECTRO Lamp type: RETROFIT LED Colour temp: - Fitting: G9 Max. watt: 5W Voltage: 230V Lumen: - Gear: - Beam angle: - CRI: -  IP20
	ADDITIONAL INFORMATION RAL colours available Hole size: 50mm - mounting holes distance: 60mm		
	GISÈLE SPHERE S ROD 200 C1 80	FINISH & ORDER CODE Black T113HZ1HZL White T113HZ1HWL Bronze T113HZ1HOE Brushed brass T113HZ1HLB Light bronze T113HZ1HBL	LIGHT SPECS & ELECTRO Lamp type: RETROFIT LED Colour temp: - Fitting: G9 Max. watt: 5W Voltage: 230V Lumen: - Gear: - Beam angle: - CRI: -  IP20
	ADDITIONAL INFORMATION RAL colours available Hole size: 50mm - mounting holes distance: 60mm		
	GISÈLE SPHERE S ROD 900 C1 80	FINISH & ORDER CODE Black T113HA1HZL White T113HA1HWL Bronze T113HA1HOE Brushed brass T113HA1HLB Light bronze T113HA1HBL	LIGHT SPECS & ELECTRO Lamp type: RETROFIT LED Colour temp: - Fitting: G9 Max. watt: 5W Voltage: 230V Lumen: - Gear: - Beam angle: - CRI: -  IP20
	ADDITIONAL INFORMATION RAL colours available Hole size: 50mm - mounting holes distance: 60mm		
	GISÈLE SPHERE S ROD 1200 C1 80	FINISH & ORDER CODE Black T113HB1HZL White T113HB1HWL Bronze T113HB1HOE Brushed brass T113HB1HLB Light bronze T113HB1HBL	LIGHT SPECS & ELECTRO Lamp type: RETROFIT LED Colour temp: - Fitting: G9 Max. watt: 5W Voltage: 230V Lumen: - Gear: - Beam angle: - CRI: -  IP20
	ADDITIONAL INFORMATION RAL colours available Hole size: 50mm - mounting holes distance: 60mm		

	GISÈLE SPHERE S ROD 1500 C1 80	FINISH & ORDER CODE Black T113HC1HZL White T113HC1HWL Bronze T113HC1HOE Brushed brass T113HC1HLB Light bronze T113HC1HBL	LIGHT SPECS & ELECTRO Lamp type: RETROFIT LED Colour temp: - Fitting: G9 Max. watt: 5W Voltage: 230V Lumen: - Gear: - Beam angle: - CRI: -
	ADDITIONAL INFORMATION RAL colours available Hole size: 50mm - mounting holes distance: 60mm		 IP20
	GISÈLE SPHERE S ROD 1800 C1 80	FINISH & ORDER CODE Black T113HD1HZL White T113HD1HWL Bronze T113HD1HOE Brushed brass T113HD1HLB Light bronze T113HD1HBL	LIGHT SPECS & ELECTRO Lamp type: RETROFIT LED Colour temp: - Fitting: G9 Max. watt: 5W Voltage: 230V Lumen: - Gear: - Beam angle: - CRI: -
	ADDITIONAL INFORMATION RAL colours available Hole size: 50mm - mounting holes distance: 60mm		 IP20
	GISÈLE SPHERE S ROD 150 SB 55	FINISH & ORDER CODE Black T113HY4HZL White T113HY4HWL Bronze T113HY4HOE Brushed brass T113HY4HLB Light bronze T113HY4HBL	LIGHT SPECS & ELECTRO Lamp type: RETROFIT LED Colour temp: - Fitting: G9 Max. watt: 5W Voltage: 230V Lumen: - Gear: - Beam angle: - CRI: -
	ADDITIONAL INFORMATION RAL colours available		 IP20
	GISÈLE SPHERE S ROD 200 SB 55	FINISH & ORDER CODE Black T113HZ4HZL White T113HZ4HWL Bronze T113HZ4HOE Brushed brass T113HZ4HLB Light bronze T113HZ4HBL	LIGHT SPECS & ELECTRO Lamp type: RETROFIT LED Colour temp: - Fitting: G9 Max. watt: 5W Voltage: 230V Lumen: - Gear: - Beam angle: - CRI: -
	ADDITIONAL INFORMATION RAL colours available		 IP20
	GISÈLE SPHERE S ROD 900 SB 55	FINISH & ORDER CODE Black T113HA4HZL White T113HA4HWL Bronze T113HA4HOE Brushed brass T113HA4HLB Light bronze T113HA4HBL	LIGHT SPECS & ELECTRO Lamp type: RETROFIT LED Colour temp: - Fitting: G9 Max. watt: 5W Voltage: 230V Lumen: - Gear: - Beam angle: - CRI: -
	ADDITIONAL INFORMATION RAL colours available		 IP20

	GISÈLE SPHERE S ROD 1200 SB 55	FINISH & ORDER CODE Black T113HB4HZL White T113HB4HWL Bronze T113HB4HOE Brushed brass T113HB4HLB Light bronze T113HB4HBL	LIGHT SPECS & ELECTRO Lamp type: RETROFIT LED Colour temp: - Fitting: G9 Max. watt: 5W Voltage: 230V Lumen: - Gear: - Beam angle: - CRI: -
	ADDITIONAL INFORMATION RAL colours available		 IP20
	GISÈLE SPHERE S ROD 1500 SB 55	FINISH & ORDER CODE Black T113HC4HZL White T113HC4HWL Bronze T113HC4HOE Brushed brass T113HC4HLB Light bronze T113HC4HBL	LIGHT SPECS & ELECTRO Lamp type: RETROFIT LED Colour temp: - Fitting: G9 Max. watt: 5W Voltage: 230V Lumen: - Gear: - Beam angle: - CRI: -
	ADDITIONAL INFORMATION RAL colours available		 IP20
	GISÈLE SPHERE S ROD 1800 SB 55	FINISH & ORDER CODE Black T113HD4HZL White T113HD4HWL Bronze T113HD4HOE Brushed brass T113HD4HLB Light bronze T113HD4HBL	LIGHT SPECS & ELECTRO Lamp type: RETROFIT LED Colour temp: - Fitting: G9 Max. watt: 5W Voltage: 230V Lumen: - Gear: - Beam angle: - CRI: -
	ADDITIONAL INFORMATION RAL colours available		 IP20
	GISÈLE SPHERE S ROD 150 SB 100	FINISH & ORDER CODE Black T113HY7HZL White T113HY7HWL Bronze T113HY7HOE Brushed brass T113HY7HLB Light bronze T113HY7HBL	LIGHT SPECS & ELECTRO Lamp type: RETROFIT LED Colour temp: - Fitting: G9 Max. watt: 5W Voltage: 230V Lumen: - Gear: - Beam angle: - CRI: -
	ADDITIONAL INFORMATION RAL colours available		 IP20
	GISÈLE SPHERE S ROD 200 SB 100	FINISH & ORDER CODE Black T113HZ7HZL White T113HZ7HWL Bronze T113HZ7HOE Brushed brass T113HZ7HLB Light bronze T113HZ7HBL	LIGHT SPECS & ELECTRO Lamp type: RETROFIT LED Colour temp: - Fitting: G9 Max. watt: 5W Voltage: 230V Lumen: - Gear: - Beam angle: - CRI: -
	ADDITIONAL INFORMATION RAL colours available		 IP20

	GISÈLE SPHERE S ROD 900 SB 100	FINISH & ORDER CODE Black T113HA7HZL White T113HA7HWL Bronze T113HA7HOE Brushed brass T113HA7HLB Light bronze T113HA7HBL	LIGHT SPECS & ELECTRO Lamp type: RETROFIT LED Colour temp: - Fitting: G9 Max. watt: 5W Voltage: 230V Lumen: - Gear: - Beam angle: - CRI: -
	ADDITIONAL INFORMATION RAL colours available		 IP20
	GISÈLE SPHERE S ROD 1200 SB 100	FINISH & ORDER CODE Black T113HB7HZL White T113HB7HWL Bronze T113HB7HOE Brushed brass T113HB7HLB Light bronze T113HB7HBL	LIGHT SPECS & ELECTRO Lamp type: RETROFIT LED Colour temp: - Fitting: G9 Max. watt: 5W Voltage: 230V Lumen: - Gear: - Beam angle: - CRI: -
	ADDITIONAL INFORMATION RAL colours available		 IP20
	GISÈLE SPHERE S ROD 1500 SB 100	FINISH & ORDER CODE Black T113HC7HZL White T113HC7HWL Bronze T113HC7HOE Brushed brass T113HC7HLB Light bronze T113HC7HBL	LIGHT SPECS & ELECTRO Lamp type: RETROFIT LED Colour temp: - Fitting: G9 Max. watt: 5W Voltage: 230V Lumen: - Gear: - Beam angle: - CRI: -
	ADDITIONAL INFORMATION RAL colours available		 IP20
	GISÈLE SPHERE S ROD 1800 SB 100	FINISH & ORDER CODE Black T113HD7HZL White T113HD7HWL Bronze T113HD7HOE Brushed brass T113HD7HLB Light bronze T113HD7HBL	LIGHT SPECS & ELECTRO Lamp type: RETROFIT LED Colour temp: - Fitting: G9 Max. watt: 5W Voltage: 230V Lumen: - Gear: - Beam angle: - CRI: -
	ADDITIONAL INFORMATION RAL colours available		 IP20
	GISÈLE SPHERE M ROD 150 C180	FINISH & ORDER CODE Black T113HY2IZL White T113HY2IWL Bronze T113HY2IOE Brushed brass T113HY2ILB Light bronze T113HY2IBL	LIGHT SPECS & ELECTRO Lamp type: RETROFIT LED Colour temp: - Fitting: E27 Max. watt: 15W Voltage: 230V Lumen: - Gear: - Beam angle: - CRI: -
	ADDITIONAL INFORMATION RAL colours available Hole size: 50mm - mounting holes distance: 60mm		 IP20

	GISÈLE SPHERE M ROD 200 C180	FINISH & ORDER CODE Black T113HZ2IZL White T113HZ2IWL Bronze T113HZ2IOE Brushed brass T113HZ2ILB Light bronze T113HZ2IBL	LIGHT SPECS & ELECTRO Lamp type: RETROFIT LED Colour temp: - Fitting: E27 Max. watt: 15W Voltage: 230V Lumen: - Gear: - Beam angle: - CRI: -
	ADDITIONAL INFORMATION RAL colours available Hole size: 50mm - mounting holes distance: 60mm		 IP20
	GISÈLE SPHERE M ROD 900 C180	FINISH & ORDER CODE Black T113HA2IZL White T113HA2IWL Bronze T113HA2IOE Brushed brass T113HA2ILB Light bronze T113HA2IBL	LIGHT SPECS & ELECTRO Lamp type: RETROFIT LED Colour temp: - Fitting: E27 Max. watt: 15W Voltage: 230V Lumen: - Gear: - Beam angle: - CRI: -
	ADDITIONAL INFORMATION RAL colours available Hole size: 50mm - mounting holes distance: 60mm		 IP20
	GISÈLE SPHERE M ROD 1200 C180	FINISH & ORDER CODE Black T113HB2IZL White T113HB2IWL Bronze T113HB2IOE Brushed brass T113HB2ILB Light bronze T113HB2IBL	LIGHT SPECS & ELECTRO Lamp type: RETROFIT LED Colour temp: - Fitting: E27 Max. watt: 15W Voltage: 230V Lumen: - Gear: - Beam angle: - CRI: -
	ADDITIONAL INFORMATION RAL colours available Hole size: 50mm - mounting holes distance: 60mm		 IP20
	GISÈLE SPHERE M ROD 1500 C180	FINISH & ORDER CODE Black T113HC2IZL White T113HC2IWL Bronze T113HC2IOE Brushed brass T113HC2ILB Light bronze T113HC2IBL	LIGHT SPECS & ELECTRO Lamp type: RETROFIT LED Colour temp: - Fitting: E27 Max. watt: 15W Voltage: 230V Lumen: - Gear: - Beam angle: - CRI: -
	ADDITIONAL INFORMATION RAL colours available Hole size: 50mm - mounting holes distance: 60mm		 IP20
	GISÈLE SPHERE M ROD 1800 C180	FINISH & ORDER CODE Black T113HD2IZL White T113HD2IWL Bronze T113HD2IOE Brushed brass T113HD2ILB Light bronze T113HD2IBL	LIGHT SPECS & ELECTRO Lamp type: RETROFIT LED Colour temp: - Fitting: E27 Max. watt: 15W Voltage: 230V Lumen: - Gear: - Beam angle: - CRI: -
	ADDITIONAL INFORMATION RAL colours available Hole size: 50mm - mounting holes distance: 60mm		 IP20

	GISÈLE SPHERE M ROD 150 SB 55	FINISH & ORDER CODE Black T113HY5IZL White T113HY5IWL Bronze T113HY5IOE Brushed brass T113HY5ILB Light bronze T113HY5IBL	LIGHT SPECS & ELECTRO Lamp type: RETROFIT LED Colour temp: - Fitting: E27 Max. watt: 15W Voltage: 230V Lumen: - Gear: - Beam angle: - CRI: -
	ADDITIONAL INFORMATION RAL colours available		 IP20
	GISÈLE SPHERE M ROD 200 SB 55	FINISH & ORDER CODE Black T113HZ5IZL White T113HZ5IWL Bronze T113HZ5IOE Brushed brass T113HZ5ILB Light bronze T113HZ5IBL	LIGHT SPECS & ELECTRO Lamp type: RETROFIT LED Colour temp: - Fitting: E27 Max. watt: 15W Voltage: 230V Lumen: - Gear: - Beam angle: - CRI: -
	ADDITIONAL INFORMATION RAL colours available		 IP20
	GISÈLE SPHERE M ROD 900 SB 55	FINISH & ORDER CODE Black T113HA5IZL White T113HA5IWL Bronze T113HA5IOE Brushed brass T113HA5ILB Light bronze T113HA5IBL	LIGHT SPECS & ELECTRO Lamp type: RETROFIT LED Colour temp: - Fitting: E27 Max. watt: 15W Voltage: 230V Lumen: - Gear: - Beam angle: - CRI: -
	ADDITIONAL INFORMATION RAL colours available		 IP20
	GISÈLE SPHERE M ROD 1200 SB 55	FINISH & ORDER CODE Black T113HB5IZL White T113HB5IWL Bronze T113HB5IOE Brushed brass T113HB5ILB Light bronze T113HB5IBL	LIGHT SPECS & ELECTRO Lamp type: RETROFIT LED Colour temp: - Fitting: E27 Max. watt: 15W Voltage: 230V Lumen: - Gear: - Beam angle: - CRI: -
	ADDITIONAL INFORMATION RAL colours available		 IP20
	GISÈLE SPHERE M ROD 1500 SB 55	FINISH & ORDER CODE Black T113HC5IZL White T113HC5IWL Bronze T113HC5IOE Brushed brass T113HC5ILB Light bronze T113HC5IBL	LIGHT SPECS & ELECTRO Lamp type: RETROFIT LED Colour temp: - Fitting: E27 Max. watt: 15W Voltage: 230V Lumen: - Gear: - Beam angle: - CRI: -
	ADDITIONAL INFORMATION RAL colours available		 IP20