



GISELE





Rod — Design by tossB






PRODUCT INFORMATION






tossB






GISÈLE






Rod — Design by tossB






	GISÈLE SPHERE S ROD 150 C1 80	FINISH & ORDER CODE Black T113HY1HZL White T113HY1HWL Bronze T113HY1HOE Brushed brass T113HY1HLB Light bronze T113HY1HBL	LIGHT SPECS & ELECTRO Lamp type: RETROFIT LED Colour temp: - Fitting: G9 Max. watt: 5W Voltage: 230V Lumen: - Gear: - Beam angle: - CRI: -
	ADDITIONAL INFORMATION RAL colours available Hole size: 50mm - mounting holes distance: 60mm		 IP20
	GISÈLE SPHERE S ROD 200 C1 80	FINISH & ORDER CODE Black T113HZ1HZL White T113HZ1HWL Bronze T113HZ1HOE Brushed brass T113HZ1HLB Light bronze T113HZ1HBL	LIGHT SPECS & ELECTRO Lamp type: RETROFIT LED Colour temp: - Fitting: G9 Max. watt: 5W Voltage: 230V Lumen: - Gear: - Beam angle: - CRI: -
	ADDITIONAL INFORMATION RAL colours available Hole size: 50mm - mounting holes distance: 60mm		 IP20
	GISÈLE SPHERE S ROD 900 C1 80	FINISH & ORDER CODE Black T113HA1HZL White T113HA1HWL Bronze T113HA1HOE Brushed brass T113HA1HLB Light bronze T113HA1HBL	LIGHT SPECS & ELECTRO Lamp type: RETROFIT LED Colour temp: - Fitting: G9 Max. watt: 5W Voltage: 230V Lumen: - Gear: - Beam angle: - CRI: -
	ADDITIONAL INFORMATION RAL colours available Hole size: 50mm - mounting holes distance: 60mm		 IP20
	GISÈLE SPHERE S ROD 1200 C1 80	FINISH & ORDER CODE Black T113HB1HZL White T113HB1HWL Bronze T113HB1HOE Brushed brass T113HB1HLB Light bronze T113HB1HBL	LIGHT SPECS & ELECTRO Lamp type: RETROFIT LED Colour temp: - Fitting: G9 Max. watt: 5W Voltage: 230V Lumen: - Gear: - Beam angle: - CRI: -
	ADDITIONAL INFORMATION RAL colours available Hole size: 50mm - mounting holes distance: 60mm		 IP20


	GISÈLE SPHERE S ROD 1500 C1 80	FINISH & ORDER CODE Black T113HC1HZL White T113HC1HWL Bronze T113HC1HOE Brushed brass T113HC1HLB Light bronze T113HC1HBL	LIGHT SPECS & ELECTRO Lamp type: RETROFIT LED Colour temp: - Fitting: G9 Max. watt: 5W Voltage: 230V Lumen: - Gear: - Beam angle: - CRI: -
	ADDITIONAL INFORMATION RAL colours available Hole size: 50mm - mounting holes distance: 60mm		 IP20
	GISÈLE SPHERE S ROD 1800 C1 80	FINISH & ORDER CODE Black T113HD1HZL White T113HD1HWL Bronze T113HD1HOE Brushed brass T113HD1HLB Light bronze T113HD1HBL	LIGHT SPECS & ELECTRO Lamp type: RETROFIT LED Colour temp: - Fitting: G9 Max. watt: 5W Voltage: 230V Lumen: - Gear: - Beam angle: - CRI: -
	ADDITIONAL INFORMATION RAL colours available Hole size: 50mm - mounting holes distance: 60mm		 IP20
	GISÈLE SPHERE S ROD 150 SB 55	FINISH & ORDER CODE Black T113HY4HZL White T113HY4HWL Bronze T113HY4HOE Brushed brass T113HY4HLB Light bronze T113HY4HBL	LIGHT SPECS & ELECTRO Lamp type: RETROFIT LED Colour temp: - Fitting: G9 Max. watt: 5W Voltage: 230V Lumen: - Gear: - Beam angle: - CRI: -
	ADDITIONAL INFORMATION RAL colours available		 IP20
	GISÈLE SPHERE S ROD 200 SB 55	FINISH & ORDER CODE Black T113HZ4HZL White T113HZ4HWL Bronze T113HZ4HOE Brushed brass T113HZ4HLB Light bronze T113HZ4HBL	LIGHT SPECS & ELECTRO Lamp type: RETROFIT LED Colour temp: - Fitting: G9 Max. watt: 5W Voltage: 230V Lumen: - Gear: - Beam angle: - CRI: -
	ADDITIONAL INFORMATION RAL colours available		 IP20
	GISÈLE SPHERE S ROD 900 SB 55	FINISH & ORDER CODE Black T113HA4HZL White T113HA4HWL Bronze T113HA4HOE Brushed brass T113HA4HLB Light bronze T113HA4HBL	LIGHT SPECS & ELECTRO Lamp type: RETROFIT LED Colour temp: - Fitting: G9 Max. watt: 5W Voltage: 230V Lumen: - Gear: - Beam angle: - CRI: -
	ADDITIONAL INFORMATION RAL colours available		 IP20

	GISÈLE SPHERE S ROD 1200 SB 55	FINISH & ORDER CODE Black T113HB4HZL White T113HB4HWL Bronze T113HB4HOE Brushed brass T113HB4HLB Light bronze T113HB4HBL	LIGHT SPECS & ELECTRO Lamp type: RETROFIT LED Colour temp: - Fitting: G9 Max. watt: 5W Voltage: 230V Lumen: - Gear: - Beam angle: - CRI: -
	ADDITIONAL INFORMATION RAL colours available		 IP20
	GISÈLE SPHERE S ROD 1500 SB 55	FINISH & ORDER CODE Black T113HC4HZL White T113HC4HWL Bronze T113HC4HOE Brushed brass T113HC4HLB Light bronze T113HC4HBL	LIGHT SPECS & ELECTRO Lamp type: RETROFIT LED Colour temp: - Fitting: G9 Max. watt: 5W Voltage: 230V Lumen: - Gear: - Beam angle: - CRI: -
	ADDITIONAL INFORMATION RAL colours available		 IP20
	GISÈLE SPHERE S ROD 1800 SB 55	FINISH & ORDER CODE Black T113HD4HZL White T113HD4HWL Bronze T113HD4HOE Brushed brass T113HD4HLB Light bronze T113HD4HBL	LIGHT SPECS & ELECTRO Lamp type: RETROFIT LED Colour temp: - Fitting: G9 Max. watt: 5W Voltage: 230V Lumen: - Gear: - Beam angle: - CRI: -
	ADDITIONAL INFORMATION RAL colours available		 IP20
	GISÈLE SPHERE S ROD 150 SB 100	FINISH & ORDER CODE Black T113HY7HZL White T113HY7HWL Bronze T113HY7HOE Brushed brass T113HY7HLB Light bronze T113HY7HBL	LIGHT SPECS & ELECTRO Lamp type: RETROFIT LED Colour temp: - Fitting: G9 Max. watt: 5W Voltage: 230V Lumen: - Gear: - Beam angle: - CRI: -
	ADDITIONAL INFORMATION RAL colours available		 IP20
	GISÈLE SPHERE S ROD 200 SB 100	FINISH & ORDER CODE Black T113HZ7HZL White T113HZ7HWL Bronze T113HZ7HOE Brushed brass T113HZ7HLB Light bronze T113HZ7HBL	LIGHT SPECS & ELECTRO Lamp type: RETROFIT LED Colour temp: - Fitting: G9 Max. watt: 5W Voltage: 230V Lumen: - Gear: - Beam angle: - CRI: -
	ADDITIONAL INFORMATION RAL colours available		 IP20

	GISÈLE SPHERE S ROD 900 SB 100	FINISH & ORDER CODE Black T113HA7HZL White T113HA7HWL Bronze T113HA7HOE Brushed brass T113HA7HLB Light bronze T113HA7HBL	LIGHT SPECS & ELECTRO Lamp type: RETROFIT LED Colour temp: - Fitting: G9 Max. watt: 5W Voltage: 230V Lumen: - Gear: - Beam angle: - CRI: -
	ADDITIONAL INFORMATION RAL colours available		 IP20
	GISÈLE SPHERE S ROD 1200 SB 100	FINISH & ORDER CODE Black T113HB7HZL White T113HB7HWL Bronze T113HB7HOE Brushed brass T113HB7HLB Light bronze T113HB7HBL	LIGHT SPECS & ELECTRO Lamp type: RETROFIT LED Colour temp: - Fitting: G9 Max. watt: 5W Voltage: 230V Lumen: - Gear: - Beam angle: - CRI: -
	ADDITIONAL INFORMATION RAL colours available		 IP20
	GISÈLE SPHERE S ROD 1500 SB 100	FINISH & ORDER CODE Black T113HC7HZL White T113HC7HWL Bronze T113HC7HOE Brushed brass T113HC7HLB Light bronze T113HC7HBL	LIGHT SPECS & ELECTRO Lamp type: RETROFIT LED Colour temp: - Fitting: G9 Max. watt: 5W Voltage: 230V Lumen: - Gear: - Beam angle: - CRI: -
	ADDITIONAL INFORMATION RAL colours available		 IP20
	GISÈLE SPHERE S ROD 1800 SB 100	FINISH & ORDER CODE Black T113HD7HZL White T113HD7HWL Bronze T113HD7HOE Brushed brass T113HD7HLB Light bronze T113HD7HBL	LIGHT SPECS & ELECTRO Lamp type: RETROFIT LED Colour temp: - Fitting: G9 Max. watt: 5W Voltage: 230V Lumen: - Gear: - Beam angle: - CRI: -
	ADDITIONAL INFORMATION RAL colours available		 IP20
	GISÈLE SPHERE M ROD 150 C180	FINISH & ORDER CODE Black T113HY2IZL White T113HY2IWL Bronze T113HY2IOE Brushed brass T113HY2ILB Light bronze T113HY2IBL	LIGHT SPECS & ELECTRO Lamp type: RETROFIT LED Colour temp: - Fitting: E27 Max. watt: 15W Voltage: 230V Lumen: - Gear: - Beam angle: - CRI: -
	ADDITIONAL INFORMATION RAL colours available Hole size: 50mm - mounting holes distance: 60mm		 IP20

	GISÈLE SPHERE M ROD 200 C180	FINISH & ORDER CODE Black T113HZ2IZL White T113HZ2IWL Bronze T113HZ2IOE Brushed brass T113HZ2ILB Light bronze T113HZ2IBL	LIGHT SPECS & ELECTRO Lamp type: RETROFIT LED Colour temp: - Fitting: E27 Max. watt: 15W Voltage: 230V Lumen: - Gear: - Beam angle: - CRI: -
	ADDITIONAL INFORMATION RAL colours available Hole size: 50mm - mounting holes distance: 60mm		 IP20
	GISÈLE SPHERE M ROD 900 C180	FINISH & ORDER CODE Black T113HA2IZL White T113HA2IWL Bronze T113HA2IOE Brushed brass T113HA2ILB Light bronze T113HA2IBL	LIGHT SPECS & ELECTRO Lamp type: RETROFIT LED Colour temp: - Fitting: E27 Max. watt: 15W Voltage: 230V Lumen: - Gear: - Beam angle: - CRI: -
	ADDITIONAL INFORMATION RAL colours available Hole size: 50mm - mounting holes distance: 60mm		 IP20
	GISÈLE SPHERE M ROD 1200 C180	FINISH & ORDER CODE Black T113HB2IZL White T113HB2IWL Bronze T113HB2IOE Brushed brass T113HB2ILB Light bronze T113HB2IBL	LIGHT SPECS & ELECTRO Lamp type: RETROFIT LED Colour temp: - Fitting: E27 Max. watt: 15W Voltage: 230V Lumen: - Gear: - Beam angle: - CRI: -
	ADDITIONAL INFORMATION RAL colours available Hole size: 50mm - mounting holes distance: 60mm		 IP20
	GISÈLE SPHERE M ROD 1500 C180	FINISH & ORDER CODE Black T113HC2IZL White T113HC2IWL Bronze T113HC2IOE Brushed brass T113HC2ILB Light bronze T113HC2IBL	LIGHT SPECS & ELECTRO Lamp type: RETROFIT LED Colour temp: - Fitting: E27 Max. watt: 15W Voltage: 230V Lumen: - Gear: - Beam angle: - CRI: -
	ADDITIONAL INFORMATION RAL colours available Hole size: 50mm - mounting holes distance: 60mm		 IP20
	GISÈLE SPHERE M ROD 1800 C180	FINISH & ORDER CODE Black T113HD2IZL White T113HD2IWL Bronze T113HD2IOE Brushed brass T113HD2ILB Light bronze T113HD2IBL	LIGHT SPECS & ELECTRO Lamp type: RETROFIT LED Colour temp: - Fitting: E27 Max. watt: 15W Voltage: 230V Lumen: - Gear: - Beam angle: - CRI: -
	ADDITIONAL INFORMATION RAL colours available Hole size: 50mm - mounting holes distance: 60mm		 IP20

	GISÈLE SPHERE M ROD 150 SB 55	FINISH & ORDER CODE Black T113HY5IZL White T113HY5IWL Bronze T113HY5IOE Brushed brass T113HY5ILB Light bronze T113HY5IBL	LIGHT SPECS & ELECTRO Lamp type: RETROFIT LED Colour temp: - Fitting: E27 Max. watt: 15W Voltage: 230V Lumen: - Gear: - Beam angle: - CRI: -
	ADDITIONAL INFORMATION RAL colours available		 IP20
	GISÈLE SPHERE M ROD 200 SB 55	FINISH & ORDER CODE Black T113HZ5IZL White T113HZ5IWL Bronze T113HZ5IOE Brushed brass T113HZ5ILB Light bronze T113HZ5IBL	LIGHT SPECS & ELECTRO Lamp type: RETROFIT LED Colour temp: - Fitting: E27 Max. watt: 15W Voltage: 230V Lumen: - Gear: - Beam angle: - CRI: -
	ADDITIONAL INFORMATION RAL colours available		 IP20
	GISÈLE SPHERE M ROD 900 SB 55	FINISH & ORDER CODE Black T113HA5IZL White T113HA5IWL Bronze T113HA5IOE Brushed brass T113HA5ILB Light bronze T113HA5IBL	LIGHT SPECS & ELECTRO Lamp type: RETROFIT LED Colour temp: - Fitting: E27 Max. watt: 15W Voltage: 230V Lumen: - Gear: - Beam angle: - CRI: -
	ADDITIONAL INFORMATION RAL colours available		 IP20
	GISÈLE SPHERE M ROD 1200 SB 55	FINISH & ORDER CODE Black T113HB5IZL White T113HB5IWL Bronze T113HB5IOE Brushed brass T113HB5ILB Light bronze T113HB5IBL	LIGHT SPECS & ELECTRO Lamp type: RETROFIT LED Colour temp: - Fitting: E27 Max. watt: 15W Voltage: 230V Lumen: - Gear: - Beam angle: - CRI: -
	ADDITIONAL INFORMATION RAL colours available		 IP20
	GISÈLE SPHERE M ROD 1500 SB 55	FINISH & ORDER CODE Black T113HC5IZL White T113HC5IWL Bronze T113HC5IOE Brushed brass T113HC5ILB Light bronze T113HC5IBL	LIGHT SPECS & ELECTRO Lamp type: RETROFIT LED Colour temp: - Fitting: E27 Max. watt: 15W Voltage: 230V Lumen: - Gear: - Beam angle: - CRI: -
	ADDITIONAL INFORMATION RAL colours available		 IP20



C180 Ø80	SB 55 Ø55	SB 100 Ø100	GISÈLE ROD 150 Ø12
GISÈLE ROD 200 Ø12	GISÈLE ROD 900 Ø12	GISÈLE ROD 1200 Ø12	GISÈLE ROD 1500 Ø12
GISÈLE ROD 1800 Ø12	GISÈLE SPHERE S Ø100	GISÈLE SPHERE M Ø150	GISÈLE SPHERE L Ø200