



VIC





Suspension — Design by tossB






PRODUCT INFORMATION






tossB


VIC





Suspension — Design by tossB






	VIC 75 SUSPENSION	FINISH & ORDER CODE Black T107H1DZL White T107H1DWL Brushed alu T107H1DAB Bronze T107H1DOE Brushed brass T107H1DLB Light bronze T107H1DBL	LIGHT SPECS & ELECTRO Lamp type: LED Colour temp: 2700K Fitting: - Max. watt: 4W Voltage: 11,3V - 350mA Lumen: 400 Gear: NOT INCLUDED Beam angle: 45° CRI: 90
	EXCL. BASE AND DRIVER ADDITIONAL INFORMATION RAL colours available - Honeycomb available 3000K available - Beam angle 10° and 25° available Standard cable length 1800mm - longer cable available on request		
	VIC 125 SUSPENSION	FINISH & ORDER CODE Black T107H2DZL White T107H2DWL Brushed alu T107H2DAB Bronze T107H2DOE Brushed brass T107H2DLB Light bronze T107H2DBL	LIGHT SPECS & ELECTRO Lamp type: LED Colour temp: 2700K Fitting: - Max. watt: 4W Voltage: 11,3V - 350mA Lumen: 400 Gear: NOT INCLUDED Beam angle: 45° CRI: 90
	EXCL. BASE AND DRIVER ADDITIONAL INFORMATION RAL colours available - Honeycomb available 3000K available - Beam angle 10° and 25° available Standard cable length 1800mm - longer cable available on request		
	VIC 185 SUSPENSION	FINISH & ORDER CODE Black T107H3DZL White T107H3DWL Brushed alu T107H3DAB Bronze T107H3DOE Brushed brass T107H3DLB Light bronze T107H3DBL	LIGHT SPECS & ELECTRO Lamp type: LED Colour temp: 2700K Fitting: - Max. watt: 4W Voltage: 11,3V - 350mA Lumen: 400 Gear: NOT INCLUDED Beam angle: 45° CRI: 90
	EXCL. BASE AND DRIVER ADDITIONAL INFORMATION RAL colours available - Honeycomb available 3000K available - Beam angle 10° and 25° available Standard cable length 1800mm - longer cable available on request		
	VIC 75 SUSPENSION 48V ADAPTOR BLACK DIM 0-10V	FINISH & ORDER CODE Black T107HR1DZL White T107HR1DWL Brushed alu T107HR1DAB Bronze T107HR1DOE Brushed brass T107HR1DLB Light bronze T107HR1DBL	LIGHT SPECS & ELECTRO Lamp type: LED Colour temp: 2700K Fitting: - Max. watt: 4W Voltage: 48V Lumen: 400 Gear: NOT INCLUDED Beam angle: 45° CRI: 90
	EXCL. DRIVER ADDITIONAL INFORMATION RAL colours available - Honeycomb available 3000K available - Beam angle 10° and 25° available Standard cable length 1800mm - longer cable available on request		

 Ø32 75	VIC 75 SUSPENSION 48V ADAPTOR WHITE DIM 0-10V	FINISH & ORDER CODE Black T107HR11DZL White T107HR11DWL Brushed alu T107HR11DAB Bronze T107HR11DOE Brushed brass T107HR11DLB Light bronze T107HR11DBL	LIGHT SPECS & ELECTRO Lamp type: LED Colour temp: 2700K Fitting: - Max. watt: 4W Voltage: 48V Lumen: 400 Gear: NOT INCLUDED Beam angle: 45° CRI: 90
	EXCL. DRIVER	ADDITIONAL INFORMATION RAL colours available - Honeycomb available 3000K available - Beam angle 10° and 25° available Standard cable length 1800mm - longer cable available on request	
 Ø32 75	VIC 75 SUSPENSION 48V ADAPTOR BLACK DIM DALI	FINISH & ORDER CODE Black T107HR4DZL White T107HR4DWL Brushed alu T107HR4DAB Bronze T107HR4DOE Brushed brass T107HR4DLB Light bronze T107HR4DBL	LIGHT SPECS & ELECTRO Lamp type: LED Colour temp: 2700K Fitting: - Max. watt: 4W Voltage: 48V Lumen: 400 Gear: NOT INCLUDED Beam angle: 45° CRI: 90
	EXCL. DRIVER	ADDITIONAL INFORMATION RAL colours available - Honeycomb available 3000K available - Beam angle 10° and 25° available Standard cable length 1800mm - longer cable available on request	
 Ø32 75	VIC 75 SUSPENSION 48V ADAPTOR WHITE DIM DALI	FINISH & ORDER CODE Black T107HR41DZL White T107HR41DWL Brushed alu T107HR41DAB Bronze T107HR41DOE Brushed brass T107HR41DLB Light bronze T107HR41DBL	LIGHT SPECS & ELECTRO Lamp type: LED Colour temp: 2700K Fitting: - Max. watt: 4W Voltage: 48V Lumen: 400 Gear: NOT INCLUDED Beam angle: 45° CRI: 90
	EXCL. DRIVER	ADDITIONAL INFORMATION RAL colours available - Honeycomb available 3000K available - Beam angle 10° and 25° available Standard cable length 1800mm - longer cable available on request	
 Ø32 125	VIC 125 SUSPENSION 48V ADAPTOR BLACK DIM 0-10V	FINISH & ORDER CODE Black T107HR2DZL White T107HR2DWL Brushed alu T107HR2DAB Bronze T107HR2DOE Brushed brass T107HR2DLB Light bronze T107HR2DBL	LIGHT SPECS & ELECTRO Lamp type: LED Colour temp: 2700K Fitting: - Max. watt: 4W Voltage: 48V Lumen: 400 Gear: NOT INCLUDED Beam angle: 45° CRI: 90
	EXCL. DRIVER	ADDITIONAL INFORMATION RAL colours available - Honeycomb available 3000K available - Beam angle 10° and 25° available Standard cable length 1800mm - longer cable available on request	
 Ø32 125	VIC 125 SUSPENSION 48V ADAPTOR WHITE DIM 0-10V	FINISH & ORDER CODE Black T107HR21DZL White T107HR21DWL Brushed alu T107HR21DAB Bronze T107HR21DOE Brushed brass T107HR21DLB Light bronze T107HR21DBL	LIGHT SPECS & ELECTRO Lamp type: LED Colour temp: 2700K Fitting: - Max. watt: 4W Voltage: 48V Lumen: 400 Gear: NOT INCLUDED Beam angle: 45° CRI: 90
	EXCL. DRIVER	ADDITIONAL INFORMATION RAL colours available - Honeycomb available 3000K available - Beam angle 10° and 25° available Standard cable length 1800mm - longer cable available on request	

 Ø32 125	VIC 125 SUSPENSION 48V ADAPTOR BLACK DIM DALI	FINISH & ORDER CODE Black T107HR5DZL White T107HR5DWL Brushed alu T107HR5DAB Bronze T107HR5DOE Brushed brass T107HR5DLB Light bronze T107HR5DBL	LIGHT SPECS & ELECTRO Lamp type: LED Colour temp: 2700K Fitting: - Max. watt: 4W Voltage: 48V Lumen: 400 Gear: NOT INCLUDED Beam angle: 45° CRI: 90
	EXCL. DRIVER	ADDITIONAL INFORMATION RAL colours available - Honeycomb available 3000K available - Beam angle 10° and 25° available Standard cable length 1800mm - longer cable available on request	 IP20
 Ø32 125	VIC 125 SUSPENSION 48V ADAPTOR WHITE DIM DALI	FINISH & ORDER CODE Black T107HR51DZL White T107HR51DWL Brushed alu T107HR51DAB Bronze T107HR51DOE Brushed brass T107HR51DLB Light bronze T107HR51DBL	LIGHT SPECS & ELECTRO Lamp type: LED Colour temp: 2700K Fitting: - Max. watt: 4W Voltage: 48V Lumen: 400 Gear: NOT INCLUDED Beam angle: 45° CRI: 90
	EXCL. DRIVER	ADDITIONAL INFORMATION RAL colours available - Honeycomb available 3000K available - Beam angle 10° and 25° available Standard cable length 1800mm - longer cable available on request	 IP20
 Ø32 185	VIC 185 SUSPENSION 48V ADAPTOR BLACK DIM 0-10V	FINISH & ORDER CODE Black T107HR3DZL White T107HR3DWL Brushed alu T107HR3DAB Bronze T107HR3DOE Brushed brass T107HR3DLB Light bronze T107HR3DBL	LIGHT SPECS & ELECTRO Lamp type: LED Colour temp: 2700K Fitting: - Max. watt: 4W Voltage: 48V Lumen: 400 Gear: NOT INCLUDED Beam angle: 45° CRI: 90
	EXCL. DRIVER	ADDITIONAL INFORMATION RAL colours available - Honeycomb available 3000K available - Beam angle 10° and 25° available Standard cable length 1800mm - longer cable available on request	 IP20
 Ø32 185	VIC 185 SUSPENSION 48V ADAPTOR WHITE DIM 0-10V	FINISH & ORDER CODE Black T107HR31DZL White T107HR31DWL Brushed alu T107HR31DAB Bronze T107HR31DOE Brushed brass T107HR31DLB Light bronze T107HR31DBL	LIGHT SPECS & ELECTRO Lamp type: LED Colour temp: 2700K Fitting: - Max. watt: 4W Voltage: 48V Lumen: 400 Gear: NOT INCLUDED Beam angle: 45° CRI: 90
	EXCL. DRIVER	ADDITIONAL INFORMATION RAL colours available - Honeycomb available 3000K available - Beam angle 10° and 25° available Standard cable length 1800mm - longer cable available on request	 IP20
 Ø32 185	VIC 185 SUSPENSION 48V ADAPTOR BLACK DIM DALI	FINISH & ORDER CODE Black T107HR6DZL White T107HR6DWL Brushed alu T107HR6DAB Bronze T107HR6DOE Brushed brass T107HR6DLB Light bronze T107HR6DBL	LIGHT SPECS & ELECTRO Lamp type: LED Colour temp: 2700K Fitting: - Max. watt: 4W Voltage: 48V Lumen: 400 Gear: NOT INCLUDED Beam angle: 45° CRI: 90
	EXCL. DRIVER	ADDITIONAL INFORMATION RAL colours available - Honeycomb available 3000K available - Beam angle 10° and 25° available Standard cable length 1800mm - longer cable available on request	 IP20

	VIC 185 SUSPENSION 48V ADAPTOR WHITE DIM DALI	FINISH & ORDER CODE Black T107HR61DZL White T107HR61DWL Brushed alu T107HR61DAB Bronze T107HR61DOE Brushed brass T107HR61DLB Light bronze T107HR61DBL	LIGHT SPECS & ELECTRO Lamp type: LED Colour temp: 2700K Fitting: - Max. watt: 4W Voltage: 48V Lumen: 400 Gear: NOT INCLUDED Beam angle: 45° CRI: 90
	EXCL. DRIVER ADDITIONAL INFORMATION RAL colours available - Honeycomb available 3000K available - Beam angle 10° and 25° available Standard cable length 1800mm - longer cable available on request	 IP20	

 Ø100	CEILING BASE SB 100 DIM TRIAC 350MA 10W INCL. TRIAC DRIVER	FINISH & ORDER CODE Black TB350T001ZL White TB350T001WL Brushed alu TB350T001AB Bronze TB350T001OE Brushed brass TB350T001LB Light bronze TB350T001BL	LIGHT SPECS & ELECTRO Lamp type: - Colour temp: - Fitting: - Max. watt: - Voltage: 230V Lumen: - Gear: INCLUDED Beam angle: - CRI: -  IP20
 Ø100	CEILING BASE SB 100 DIM DALI 350MA 20W INCL. DALI DRIVER	FINISH & ORDER CODE Black TB350D001ZL White TB350D001WL Brushed alu TB350D001AB Bronze TB350D001OE Brushed brass TB350D001LB Light bronze TB350D001BL	LIGHT SPECS & ELECTRO Lamp type: - Colour temp: - Fitting: - Max. watt: - Voltage: 230V Lumen: - Gear: INCLUDED Beam angle: - CRI: -  IP20
 Ø55	CEILING BASE SB 55 EXCL. DRIVER	FINISH & ORDER CODE Black TBL011ZL White TBL011WL Brushed alu TBL011AB Bronze TBL011OE Brushed brass TBL011LB Light bronze TBL011BL	ADDITIONAL INFORMATION RAL colours available - Honeycomb available
	CEILING BASE RECTANGLE 205 EXCL. DRIVER	FINISH & ORDER CODE Black TBR001ZL White TBR001WL Brushed alu TBR001AB Bronze TBR001OE Brushed brass TBR001LB Light bronze TBR001BL	ADDITIONAL INFORMATION RAL colours available - Honeycomb available Multiple pendants possible
	CLUSTERBOX RECTANGLE 1000 EXCL. DRIVER	FINISH & ORDER CODE Black TCL003ZL White TCL003WL	ADDITIONAL INFORMATION RAL colours available - Honeycomb available Multiple pendants possible

 Ø300	CLUSTERBOX 300	FINISH & ORDER CODE Black TCL001ZL White TCL001WL
	EXCL. DRIVER	ADDITIONAL INFORMATION RAL colours available - Honeycomb available Multiple pendants possible
 Ø500 Ø250	CLUSTERBOX 500 LED	FINISH & ORDER CODE Black TCL002ZL White TCL002WL
	EXCL. DRIVER	ADDITIONAL INFORMATION RAL colours available - Honeycomb available Multiple pendants possible
 Ø80	CEILING PLATE C180	FINISH & ORDER CODE Black TPL003ZL White TPL003WL Brushed alu TPL003AB Bronze TPL003OE Brushed brass TPL003LB Light bronze TPL003BL
	EXCL. DRIVER	ADDITIONAL INFORMATION RAL colours available - Honeycomb available Hole size: 50 mm
 Ø100	CEILING PLATE C1100	FINISH & ORDER CODE Black TPL004ZL White TPL004WL Brushed alu TPL004AB Bronze TPL004OE Brushed brass TPL004LB Light bronze TPL004BL
	EXCL. DRIVER	ADDITIONAL INFORMATION RAL colours available - Honeycomb available Hole size: 70 mm
 Ø10	CABLE GUIDE LED	FINISH & ORDER CODE Black TA001ZL White TA001WL
		ADDITIONAL INFORMATION RAL colours available - Honeycomb available